

THE **adlog**TM AIRCRAFT
MAINTENANCE
RECORDKEEPING
SYSTEM

**AIRFRAME
MAINTENANCE
RECORDS**

AIRFRAME MAINTENANCE RECORDS

Log No. 3

Aircraft Registration No. N2108Y

Aircraft Mfg. Piper Aircraft Model PA 28-236 Serial No. 28-791128

Engine Mfg. Lycoming Model O-540-53A5D Serial No. L-24102-404
Engine Mfg. _____ Model _____ Serial No. _____

Propeller Mfg. Hartzell Model _____ Serial No. _____
Hub Design No. _____ Hub Serial No. _____
Blade Design No. _____ Blade Serial No's. _____

Propeller Mfg. _____ Model _____ Serial No. _____
Hub Design No. _____ Hub Serial No. _____
Blade Design No. _____ Blade Serial No's. _____

(All applicable information must be filled in)

DATE

TIME IN SERVICE

RECORDING METER TIME

SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK


TOTAL brought forward from previous page

DATE 11-20-06

TACH 2692.80

N2108V

REMOVE AND RE-INSTALLED BRAKE CALIPER AFTER REPLACEMENT OF O-RING P/N MS28775-222. OPERATIONAL AND LEAK CHECK SATISFACTORY. END.


A&P 2926400971A
KURT SCHIMPF A&P2926400971A
SELECT AIRCRAFT SERVICE


DATE 1-3-07

TACH 2711.31

TOTAL TIME 2711.31

N2108V

I CERTIFY THAT THIS AIRFRAME HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND DETERMINED TO BE IN AN AIRWORTHY CONDITION. REPAIRS & MAINTENANCE ARE AS FOLLOWS: R/R FUEL TANK GAGE LIGHT BULB P/N GE53. FABRICATE AND INSTALL LEFT SIDE ENG BAFFLE. R/R FUEL STRAINER P/N 486-293, AND GASKET P/N 33-199-6. R/R NOSE WHEEL BEARINGS P/N 29749, 29710. FABRICATE AND INST. #2 CYL ENG BAFFLE. R/R NOSE WHEEL TIRE P/N 606C61B1, AND TUBE P/N 302-246-401. C/W FAR 91.207d, ELT INSP., BY INSP., NEXT DUE 12-06. ALL AD'S CURRENT, SEE A.D. COMPLIANCE RECORDS. OPERATIONAL & FUNCTION CHECKS PERFORMED SATISFACTORY. END.


A&P 2926400971A
KURT SCHIMPF A&P2926400971A
SELECT AIRCRAFT SERVICE

DATE 3-8-07

HOBBS 2714.84

N2108V

R/R LANDING LIGHT BULB, 1 EA. P/N 4509. OPERATIONAL CHECK PERFORMED SATISFACTORY. END.



A&P 2926400971A
KURT SCHIMPF A&P2926400971A
SELECT AIRCRAFT SERVICE

DATE 5-3-07

HOBBS 2727.31

N2108V

R/R BRAKE LININGS 4 EA. P/N 066-10500. R/R RIGHT MLG BRAKE CALIPER O-RING P/N MS28775-222. OPERATIONAL AND LEAK CHECK SATISFACTORY. END.


A&P 2926400971A
KURT SCHIMPF A&P2926400971A
SELECT AIRCRAFT SERVICE

SUB-TOTAL this page

TOTAL—Carry forward to next page

DATE

TOTAL
TIME
IN
SERVICERECORDING
METER
TIME

SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK

TOTAL brought forward from previous page

DATE 2-20-08 TACH 2812.87 TOTAL TIME 2812.87 N2108V

I CERTIFY THAT THIS AIRFRAME HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND DETERMINED TO BE IN AN AIRWORTHY CONDITION. REPAIRS & MAINTENANCE ARE AS FOLLOWS: FABRICATE AND INSTALL #3 CYL. ENGINE BAFFLE. RE-TENSION ELEVATOR AND RUDDER CABLES. REPAIR LH MAIN STRUT FAIRING. R/R AIRCRAFT BATTERY WITH CONCORD BATTERY P/N RG35AXC, S/N 40192650. R/R VAC REG FILTER P/N B3-5-1. COMPLIED WITH FAR 91.207d, BY INSP. NEXT DUE 2-09, R/R ELT BATTERY P/N 00-60-13REVA. R/R TACH. CABLE P/N 143961. ALL AD'S CURRENT, SEE A.D. COMPLIANCE RECORDS. OPERATIONAL & FUNCTION CHECKS PERFORMED SATISFACTORY. END.


A-P 2926400971A
KURT SCHIMPF A&P2926400971A
SELECT AIRCRAFT SERVICE


DATE 4-16-08 TACH 2822.99 N2108V

R/R SEALS IN PARKING BRAKE 1 EA. P/N MSMS28775-114, MS28775-113, MS28775-012. R/R LANDING LIGHT BULB P/N 4509. OPERATIONAL AND LEAK CHECK SATISFACTORY. END.


A-P 2926400971A
KURT SCHIMPF A&P2926400971A
SELECT AIRCRAFT SERVICE


DATE 3-20-09 TACH 2861.27 TT 2861.27 N2108V

I CERTIFY THAT THIS AIRFRAME HAS BEEN INSPECTED IN ACCORDANCE WITH A ANNUAL INSPECTION AND WAS DETERMIED TO BE IN AN AIRWORTHY CONDITON. MAINTENANCE AND REPAIRS ARE AS FOLLOWS: R/R VAC REG. FILTER P/N B3-5-1. ALL AD CURRENT SEE AD LIST. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTOR. END.


A-P 2926400971A
SELECT AIRCRAFT SERVICE

DATE 4-5-10 TACH 2915.78 TT 2915.78 N2108V

I CERTIFY THAT THIS AIRFRAME HAS BEEN INSPECTED IN ACCORDANCE WITH A ANNUAL INSPECTION AND WAS DETERMIED TO BE IN AN AIRWORTHY CONDITON. MAINTENANCE AND REPAIRS ARE AS FOLLOWS: R/R NOSE GEAR TORQUE LINK BOLTS P/N 2 EA. AN5-31A, 1 EA. P/N AN5-20A, BUSHINGS 6 EA. P/N 452-766. ALL AD CURRENT SEE AD LIST. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTOR. END.


A-P 2926400971A
SELECT AIRCRAFT SERVICE

DATE

TIME
IN
SERVICERECORDING
METER
TIME

SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING


TOTAL brought forward from previous page

DATE 4-9-10

TACH 2917.4

N2108V

R/R LANDING LIGHT BULB P/N 4509. OPERATIONAL CHECK PERFORMED SATISFACTORY. END.



A-P2426400971A
SELECT AIRCRAFT SERVICE

DATE 7-28-10

TACH 2936.73

N2108V

R/I PILOT SIDE RIGHT HAND TOE BRAKE CYL AFTER REPAIR. INSTALLED ONE EACH MS28775-113, MS28775-012, MS28775-110 SERVICED BRAKE SYSTEM RESERVOIR. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTORY. END.


A-P2426400971A
SELECT AIRCRAFT SERVICE

DATE 3-25-11

TACH 2949.50

TT 2949.50

N2108V

I CERTIFY THAT THIS AIRFRAME HAS BEEN INSPECTED IN ACCORDANCE WITH A ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. MAINTENANCE AND REPAIRS ARE AS FOLLOWS: R/R LEFT MAIN BRAKE CALIPER SEAL P/N MS28775-228. ADJUST RUDDER TRIM. R/I CABIN STEP AFTER REPAIR. R/R VAC REG. FILTER P/N B3-5-1. R/R RIGHT MAIN LANDING GEAR TIRE P/N 606C61-6. C/W AD 10-15-10 BY INSP. C/W FAR 91.207d, ELT INSP. BY INSP. NEXT DUE 3-12. BATT DUE 6-13. ALL AD'S CURRENT, SEE AD LIST. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTORY. END.


A-P1626400971A
SELECT AIRCRAFT SERVICE


DATE 4-25-12

TACH 2981.98

TT 2981.98

N2108V

I CERTIFY THAT THIS AIRFRAME HAS BEEN INSPECTED IN ACCORDANCE WITH A ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. MAINTENANCE AND REPAIRS ARE AS FOLLOWS: R/R VAC REG. FILTER P/N B3-5-1. SERVICE NOSE STRUT TO SPEC. C/W FAR 91.207d, ELT INSP. BY INSP. NEXT DUE 5-13. BATT DUE 6-13. ALL AD'S CURRENT, SEE AD LIST. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTORY. END.


A-P2426400971A
SELECT AIRCRAFT SERVICE

TOTAL—Carry forward to next page

DATE 7-5-12

TACH 2994.65

N2108V

R/R RH MLG TIRE P/N 606C61B1. END.

[Signature]
SELECT AIRCRAFT SERVICE

AP 2426400971A

DATE 8-30-12

TACH 3002.12

N2108V

R/R LANDING LIGHT BULB. OPERATIONAL CHECK PERFORMED SATISFACTORY. END.

[Signature]
SELECT AIRCRAFT SERVICE

AP 2426400971B

DATE 4-11-13

TACH 3015.27

TT 3015.27

N2108V

I CERTIFY THAT THIS AIRFRAME HAS BEEN INSPECTED IN ACCORDANCE WITH A ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. MAINTENANCE AND REPAIRS ARE AS FOLLOWS: R/R VAC REG. FILTER P/N B3-5-1. R/R OIL COOLER HOSES 1 EA. P/N 124F003-8CR-0182, 12F012E0222C. R/R MAIN LANDING GEAR BRAKE CALIPER O-RNGS 2 EA. P/N MS28775-222. ADJUST RUDDER CABLE TENSIONS TO SPEC. INST. NEW TURN BUCKLE CLIPS 4 EA. P/N MS21256-1. C.W SB1244 BY INSP. OF AFT WING SPAR ATTACH FITTINGS. C/W SB1245 AND AD13-02-13 BY INSP OF STABILATOR CONTROL CABLES AND TURN BUCKLES. R/R MAIN LANDING GEAR BRAKE LININGS 4 EA. P/N 066-10500. C/W FAR 91.207d, ELT INSP. BY INSP. NEXT DUE 4-14. R/R ELT BATTERY P/N 452-6499, BATT EXP. 2-2020. ALL AD'S CURRENT, SEE AD LIST. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTORY. END.

[Signature]
SELECT AIRCRAFT SERVICE

AP 3661540 1A

DATE 4-25-14

TACH 3036.6

TT 3036.6

N2108V

I CERTIFY THAT THIS AIRFRAME HAS BEEN INSPECTED IN ACCORDANCE WITH A ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. MAINTENANCE AND REPAIRS ARE AS FOLLOWS: R/R VAC REG. FILTER P/N B3-5-1. REPAINT BEACON HOUSING. R/R CABIN DOOR WINDLACE. C/W FAR 91.207d, ELT INSP. BY INSP. NEXT DUE 4-15. ELT BATT EXP. 2-2020. ALL AD'S CURRENT, SEE AD LIST. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTORY. END.

[Signature]
SELECT AIRCRAFT SERVICE

AP 3661540 1A

SUB-TOTAL this page

TOTAL—Carry forward to next page

DATE

TIME IN SERVICE

METER TIME

SIGNATURE & CERTIFICATION

TOTAL brought forward from previous page

PIPER PA-28-236

N2108V

s/n 28-7911128

04/29/15

Remove upholstery from backs and bases of pilot and co-pilot seats. Re-sling seat bases. Reinstall original foam and leather covers. Repair co-pilot seat back latch. Repair co-pilot reclining cam return spring. No weight change. Seats to be reinstalled in aircraft by others.

Dennis Wolter, AP21535421A
AIR MOD, 2025 Sporty's Drive, Batavia, OH 45103

04/29/15

DATE 1-12-15

TACH 3063.2

N2108V

R/R CABIN AND BAGGAGE DOOR SEALS WITH CUST. SUPPLIED PARTS. RE-PAINT INNER BAGGAGE AND CABIN DOORS. REMOVE AND REPLACE CABIN DOOR WINDOW AND TRIM WITH CUST. SUPPLIED PARTS. OPERATIONAL CHECK PERFORMED SATISFACTORY. END.

AP36615401A
SELECT AIRCRAFT SERVICE

DATE 4-24-15

TACH 3065.8

TT 3065.8

N2108V

I CERTIFY THAT THIS AIRFRAME HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. MAINTENANCE AND REPAIRS ARE AS FOLLOWS: R/R AIRCRAFT BATTERY P/N RG25AXC. R/R FUEL STRAINER GASKET P/N 462-049. C/W FAR 91.207d, ELT INSP. BY INSP. NEXT DUE 4-16. ELT BATT EXP. 2-2020. ALL AD'S CURRENT, SEE AD LIST. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTORY. END.

AP36615401A
SELECT AIRCRAFT SERVICE

DATE 10-13-15

TACH 3080.36

N2108V

R/R AIRCRAFT WINDSHIELD WITH CUST. SUPPLIED PARTS. RE-PAINT WINDSHIELD SUPPORT. R/R GLARESHIELD COVER. R/I EDM 700 AFTER REPAIR. SEE FORM 8130-3, W/O RMA 46044 DATED 10-20-15 FOR MORE INFO. ALL WORK PERFORMED IAW MANUFACTURES SERVICE MANUAL. OPERATIONAL CHECK PERFORMED SATISFACTORY. END.

AP36615401A
SELECT AIRCRAFT SERVICE

SUB-TOTAL this page

TOTAL—Carry forward to next page

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
TOTAL brought forward from previous page			

DATE 5-3-16

TACH 3094.81 TT 3094.81

N2108V

I CERTIFY THAT THIS AIRFRAME HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. INSPECTED IAW FAR 43 APPENDIX D. MAINTENANCE AND REPAIRS ARE AS FOLLOWS: R/R VA REG FILTER P/N B3-5-1. R/R RIGH MLG TIRE TUBE P/N 092-500-0. R/R PILOT SEAT HIGHT ADJUSTER P/N 587-404. R/R NOSE GEAR STOP BUMPER P/N 452-947. C/W FAR 91.207d, ELT INSP. BY INSP. NEXT DUE 5-17. ELT BATT EXP. 2-2020. ALL AD'S CURRENT, SEE AD LIST. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTORY. END.

Kurt Schimpf
 KURT SCHIMPF AP 3661540 IA
 SELECT AIRCRAFT SERVICE

DATE 9-26-16

TACH 3105.07

N2108V

R/R LANDING LIGHT WITH NEW P/N 01-0771833-10. REMOVE AND RE-INSTALL NOSE WHEEL FAIRING AFTER REPAIR. OPERATIONAL CHECK PERFORMED SATISFACTORY. END.

Kurt Schimpf
 KURT SCHIMPF AP 3661540 IA
 SELECT AIRCRAFT SERVICE