



The Standard
ENGINE LOG

ASA-SE-2

LOG # 24

Engine Record General Information

Manufacturer PIPER/LYCOMING Model PA28-236/L-24702-40A 0-540-J3A5D
Serial L-24102-40A Type Certificate _____

This engine is currently installed in aircraft: N2108V

Minimum Octane Fuel _____ Oil Grade Summer _____ Winter _____

Magneto Time _____ Point Setting _____ Firing Order _____

Spark Plug Gap _____

Manufacturer's Recommended Overhaul at _____ hours

DATE

TIME

SERVICE


Technician or Repair Facility. (See back

DATE 7-12-07

TACH 2770.37

N2108V

OIL AND FILTER CHANGE. INSPECT OIL FILTER. INSTALL NEW CH48103-1 FILTER AND SERVICE ENGINE WITH 12 QTS. OF AEROSHELL 100W OIL. GROUND (RUN) LEAK CHECK PERFORMED SATISFACTORY. END.



A&P 292640097IA


KURT SCHIMPF A&P292640097IA
SELECT AIRCRAFT SERVICE

DATE 8-30-07

HOBBS 2791.83

N2108V

R/R FUEL PUMP P/N 65628-800. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTORY .END.



A&P 292640097IA

KURT SCHIMPF A&P292640097IA
SELECT AIRCRAFT SERVICE

YEAR
DATE

RECORDING
TACH
TIME

TODAY'S
FLIGHT

TOTAL
TIME IN
SERVICE

Description of Inspections, Tests, Repairs and Alterations

Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

DATE 11-2-07

TACH 2800.53

N2108V

OIL AND FILTER CHANGE. INSPECT OIL FILTER. INSTALL NEW CH48103-1 FILTER AND SERVICE ENGINE WITH 12 QTS. OF AEROSHELL 15W-50 OIL. GROUND RUN LEAK CHECK PERFORMED SATISFACTORY. END.

Kurt Schimpf
A-P2926400971A
KURT SCHIMPF A&P2926400971A
SELECT AIRCRAFT SERVICE

~~Int. left Blank~~

TACH
TIME


FLIGHT

TIME IN
SERVICE

Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries)

DATE 2-20-08 TACH 2812.87 TSMOH 912.87 TOTAL TIME 2812.87 N2108V

I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. REPAIRS & MAINTENANCE ARE AS FOLLOWS: COMPRESSIONS: #1- 76/80, #2- 72/80, #3- 76/80, #4- 75/80, #5-72/80 & #6-73/80. OIL & FILTER CHANGE. INSPECT OIL FILTER. INSTALL 1 EA. NEW CH48103-1 FILTER & SERVICE WITH 12 QTS. OF AEROSHELL 15W-50. R/R CARB FUEL INLET GASKET P/N CF16A48. R/I MAGNETO AFTER OVERHAUL BY PAA. W.O.# 39065. INST. NEW GASKET P/N LW12681. ADJ. ENGINE MIXTURE. R/R INDUCTION AIR FILTER P/N P13-6602. R/R #3 ROCKER COVER GASKETS P/N 75906. R/R PRIMER UNION, TEE 1 EA. P/N MS20825-2D, COUPLING 1 EA. P/N AN910-1D, STRAIGHT ADAPTER 1 EA. P/N AN816-3D, CLAMP 1 EA. P/N 65429-002. R/I CARBURETOR AFTER REPAIR BY PAA. W.O.# 39065, R/R AIRBOX GASKET P/N 63684-004, AND CARB. GASKET P/N 66224. ALL AD'S CURRENT, SEE AD COMPLIANCE RECORDS. WASH DOWN ENGINE, GROUND RUN, LEAK & OPERATIONAL CHECKS PERFORMED SATISFACTORY. END.



KURT SCHIMPF A&P2926400971A
SELECT AIRCRAFT SERVICE

A-P 242240097 1A

YEAR	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations
------	---------------------	----------------	-----------------------	--


Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)



DATE 11-14-08

TACH 2851.6

N2108V

OIL AND FILTER CHANGE. INSPECT OIL FILTER. INSTALL NEW CH48103-1 OIL FILTER AND SERVICE ENGINE WITH 12 QTS. OF AEROSHELL 15W-50 OIL. GROUND RUN AND LEAK CHECK SATISFACTORY. END.


 A-P 2926400971A
 KURT SCHIMPF A&P 2926400971A
 SELECT AIRCRAFT SERVICE

DATE	TACH TIME	FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries)
DATE 3-20-09	TACH 2861.27	TSMOH 961.27	TT 2861.27	N2108V
<p>I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH A ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. COMPRESSIONS ARE AS FOLLOWS 1) 79/80, 2) 75/80, 3) 76/80, 4) 76/80, 5) 77/80, 6) 76/80. OIL AND FILTER CHANGE. CUT & INSP. OIL FILTER. INST. NEW CH481003-1 OIL FILTER. SERVICED ENGINE WITH 12 QTS. OF AEROSHELL 15W-50 OIL. MAINTENANCE AND REPAIRS ARE AS FOLLOWS: R/R ENGINE MOUNTS 4 EA. P/N J9613-2, BOLTS 4 EA. P/N AN7-35A, NUTS 4 EA. P/N MS21045-7. ALL AD'S CURRENT SEE AD LIST. GROUND RUN. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTORY. END</p>				
<p> AEP 2424100971A SELECT AIRCRAFT SERVICE</p>				
DATE 9-24-09	TACH 2900.24			N2108V
<p>OIL AND FILTER CHANGE. INSPECT OIL FILTER. INSTALL NEW CH48103-1 OIL FILTER AND SERVICE ENGINE WITH 11 QTS. OF AEROSHELL 15W-50 OIL. GROUND RUN AND LEAK CHECK SATISFACTORY. END.</p>				
<p> AEP 3250978 SK SELECT AIRCRAFT SERVICE</p>				

R E	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
--------	---------------------------	-------------------	-----------------------------	--

DATE 4-5-10 TACH 2915.78 TSMOH 1015.78 TT 2915.78 N2108V

I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH A ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. COMPRESSIONS ARE AS FOLLOWS 1) 76/80, 2) 76/80, 3) 74/80, 4) 78/80, 5) 78/80, 6) 76/80. OIL AND FILTER CHANGE. CUT & INSP. OIL FILTER. INST. NEW CH481003-1 OIL FILTER. SERVICED ENGINE WITH 12 QTS. OF AEROSHELL 15W-50 OIL. MAINTENANCE AND REPAIRS ARE AS FOLLOWS: R/R ALTERNATOR BELT 1 EA. P/N 73965-015. R/R EXHAUST MUFFLERS 3 EA. P/N PA32M DAWLEY AVIATION W.O. 101016, INSTALLED NEW EXHAUST GASKETS 6 EA. P/N 77611. R/R FUEL SERVO SCREEN GASKET P/N CF16-A48. ALL AD'S CURRENT SEE AD LIST. GROUND RUN. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTORY. END




AP 2426400971A

SELECT AIRCRAFT SERVICE

Technician or Repair Facility. (See back pages for other specific

DATE 3-25-11 TACH 2949.50 TSMOH 1049.50 TT 2949.50 N2108V

I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH A ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. COMPRESSIONS ARE AS FOLLOWS 1) 78/80, 2) 78/80, 3) 74/80, 4) 78/80, 5) 78/80, 6) 78/80. OIL AND FILTER CHANGE. CUT & INSP. OIL FILTER. INST. NEW CH48103-1 OIL FILTER. SERVICED ENGINE WITH 12 QTS. OF AEROSHELL 15W-50 OIL. MAINTENANCE AND REPAIRS ARE AS FOLLOWS: R/R ROCKER COVER GASKETS 6 EACH. P/N 75906. C/W AD 95-26-13 BY INSP. ALL AD'S CURRENT, SEE AD LIST. GROUND RUN. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTORY. END


SELECT AIRCRAFT SERVICE *P 2926400971*

RECORDING
TACH
TIME

TODAY'S
FLIGHT

TOTAL
TIME IN
SERVICE


Description of Inspections, Tests, Repairs and Alteration
Entries must be endorsed with Name, Rating and Certificate Number of
Technician or Repair Facility. (See back pages for other specific entries)

DATE 11-8-11

TACH 2973.96

N2108V

OIL AND FILTER CHANGE. INSPECT OIL FILTER. INSTALL NEW CH48103-1
OIL FILTER AND SERVICE ENGINE WITH 12 QTS. OF AEROSHELL 15W-50
OIL. GROUND RUN AND LEAK CHECK SAITSFACTORY. END.




A P 2426400971A

SELECT AIRCRAFT SERVICE

DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries)
------	---------------------	----------------	-----------------------	---

DATE 4-25-12 TACH 2981.98 TSMOH 1081.98 TT 2981.98 N2108V

I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH A ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. COMPRESSIONS ARE AS FOLLOWS 1) 74/80, 2) 76/80, 3) 74/80, 4) 76/80, 5) 72/80, 6) 76/80. OIL AND FILTER CHANGE. CUT & INSP. OIL FILTER. INST. NEW CH48103-1 OIL FILTER. SERVICED ENGINE WITH 12 QTS. OF AEROSHELL 15W-50 OIL. MAINTENANCE AND REPAIRS ARE AS FOLLOWS: R/R INTAKE DUCT P/N 565-842. ALL AD'S CURRENT, SEE AD LIST. GROUND RUN. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTORY. END

Kw

 A+ P 2426400971A
 SELECT AIRCRAFT SERVICE

RECORDING
TACH
TIME

TODAY'S
FLIGHT

TOTAL
TIME IN
SERVICE

Description of Work
Entries must be endorsed with Name, Rating and Certificate Number
Technician or Repair Facility. (See back pages for other specific entries)


DATE 4-11-13

TACH 3015.27

TSMOH 1115.27 TT 3015.27

N2108V

I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. COMPRESSIONS ARE AS FOLLOWS 1) 75/80, 2) 75/80, 3) 70/80, 4) 70/80, 5) 70/80, 6) 70/80. OIL AND FILTER CHANGE. CUT & INSP. OIL FILTER. INST. NEW CH48103-1 OIL FILTER. SERVICED ENGINE WITH 12 QTS. OF AEROSHELL 15W-50 OIL. MAINTENANCE AND REPAIRS ARE AS FOLLOWS: R/R INDUCTION AIR FILTER P/N P13-6602. R/I MAGNETO FOR INSP. R/R #3 CYL. INDUCTION GASKET P/N 71973. R/R ALL ROCKER COVER GASKETS 6 EA. P/N 75906. ALL AD'S CURRENT, SEE AD LIST. GROUND RUN. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTORY. END


SELECT AIRCRAFT SERVICE
AP 3661540 1A

DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific instructions)
------	---------------------	----------------	-----------------------	--

DATE 4-25-14 TACH 3036.6 TSMOH 1136.6 TT 3036.6 N2108V

I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. COMPRESSIONS ARE AS FOLLOWS 1) 76/80, 2) 75/80, 3) 72/80, 4) 77/80, 5) 69/80, 6) 75/80. OIL AND FILTER CHANGE. CUT & INSP. OIL FILTER. INST. NEW CH48103-1 OIL FILTER. SERVICED ENGINE WITH 12 QTS. OF AEROSHELL 15W-50 OIL. MAINTENANCE AND REPAIRS ARE AS FOLLOWS: R/I CARB. AIR BOX AFTER REPAIR. ALL AD'S CURRENT, SEE AD LIST. GROUND RUN. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTORY. END

[Handwritten Signature]
 A-P36615401A
 SELECT AIRCRAFT SERVICE

YEAR	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations <small>Entries must be endorsed with Name, Rating and Certificate Number Technician or Repair Facility. (See back pages for other specific entries)</small>
------	---------------------	----------------	-----------------------	--

DATE 4-24-15 TACH 3065.8 TSMOH 1165.8 TT 3065.8 N2108V

I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. COMPRESSIONS ARE AS FOLLOWS 1) 77/80, 2) 77/80, 3) 76/80, 4) 77/80, 5) 72/80, 6) 76/80. OIL AND FILTER CHANGE. CUT & INSP. OIL FILTER. INST. NEW CH48103-1 OIL FILTER. SERVICED ENGINE WITH 12 QTS. OF AEROSHELL 15W-50 OIL. MAINTENANCE AND REPAIRS ARE AS FOLLOWS: ADJUST MAGNETO TIMING. ALL AD'S CURRENT, SEE AD LIST. GROUND RUN. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTORY. END


[Handwritten Signature]
AP 36615401A
SELECT AIRCRAFT SERVICE

Inspections, Tests, Repa
Entries must be endorsed with Name, Rating and
Technician or Repair Facility. (See back pages for

DATE	TIME	TIME IN SERVICE
------	------	-----------------


DATE 5-3-16 TACH 3094.81 TSMOH 1194.81 TT 3094.81 N2108V


I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH A ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. INSPECTED IAW FAR 43 APPENDIX D. COMPRESSIONS ARE AS FOLLOWS 1) 76/80, 2) 75/80, 3) 70/80, 4) 75/80, 5) 71/80, 6) 70/80. OIL AND FILTER CHANGE. CUT & INSP. OIL FILTER. INST. NEW CH48103-1 OIL FILTER. SERVICE ENGINE WITH 12 QTS. OF AEROSHELL 15W-50 OIL. MAINTENANCE AND REPAIRS ARE AS FOLLOWS: R/R ROCKER COVER GASKETS 6 EA P/N 75906. ALL AD'S CURRENT, SEE AD LIST. GROUND RUN. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTORY. END.


AP 36615401A
KURT SCHIMPF AP 3661540 IA
SELECT AIRCRAFT SERVICE

DATE 6-13-16 N2108V

R/R AUX FUEL PUMP WITH NEW P/N CA65628-800E. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTORY. END.


AP 36615401A
KURT SCHIMPF AP 3661540 IA
SELECT AIRCRAFT SERVICE

RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
DATE 11-23-16		TACH 3110.46	N2108V
			R/R VACUUM PUMP WITH NEW P/N AA3215CC S/N 0BM107. R/R CARBURETOR INLET SCREEN GASKET WITH NEW P/N CF16-A48. OPERATIONAL AND LEAK CHECK PERFORMED SATISFACTORY. END.  AP 36615401A KURT SCHIMPF AP 3661540 IA SELECT AIRCRAFT SERVICE