

HISTORICAL SERVICE RECORD

PAGE 1 OF 1

COMPONENT M/R BLADE
 PART NUMBER 269A1185-001
 SERIAL NUMBER 54524

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	5500	5500	3050	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
8-7-14	0094	269C-1	BRA	4796.6	0.0	—	03 Dec 2015	4818.4	21.8	/	Serviceable A/C Parted Out.
9/05/16	0105	269C-1	TDAM	5370.8	21.8	TSN					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.		CERTIFYING DATA ON WORK PERFORMED			
DESCRIPTION OF WORK PERFORMED		BY ACTIVITY	DATE	SIGNATURE AND CERT #	

HISTORICAL SERVICE RECORD

PAGE 1 OF

COMPONENT M/R BLADE
PART NUMBER 269A1185-001
SERIAL NUMBER 54525

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	5500	5500	3050	

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14841
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
8.7.14	0094	269C-1	BRA	4796.6	0.0	—	03 Dec 2015	4818.4	21.8		Serviceable At Parted Owl
9/05/16	0105	269C-1	TBAM	5370.8	21.8	TSN					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE 1 OF 1

COMPONENT M/R BLADE
 PART NUMBER 269A1185-001
 SERIAL NUMBER 54526

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	5500	5500	3050	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
8.7.14	0094	269C-1	BRA	4796.6	0.0	—	03 Dec 2015	4818.4	21.8	—	Serviceable A/c Parted Out.
9/05/16	0105	269C-1	TBAM	5370.8	21.8	TSN					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE _____ OF _____

COMPONENT M/R Pitch Shaft
 PART NUMBER 269A1240-7
 SERIAL NUMBER S7501

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	3600	4000	4000	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
4/24/07	0105	269C-1	BA	3912.5	0.0	0.0					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT M/R Pitch Shaft
 PART NUMBER 269A1240-7
 SERIAL NUMBER S7503

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	3600	4000	4000	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
4/24/07	0105	269C-1	BA	3912.5	0.0	0.0					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT M/R Pitch Shaft
 PART NUMBER 269A1240-7
 SERIAL NUMBER 57499

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	3600	4000	4000	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
4/24/07	0105	269C-1	BA	3912.5	00	0.0					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

COMPONENT: M/R Damper PART NUMBER: 269A1290-003 SERIAL NUMBER: 11111				MODEL	269A/B	269C	269C-1	269D	Lowest Life Limit Ap When Changed Bet Models
				OVERHAUL	N/A	N/A	N/A	N/A	
				LIFE LIMIT	6000	6000	6000	6000	

INSTALLATION DATA							REMOVAL DATA			
INSTALLED ON		BY	INSTALLED	COMPONENT HOURS		DATE	REMOVED	COMPONENT HOURS		REASON FOR
DATE	A/C#	MODEL	(ACTIVITY)	AT A/C HRS	SINCE NEW		SINCE O/H	AT A/C HRS	SINCE NEW	
8/1/2021	0105	269C1	<i>[Signature]</i>	5839.0	0.0					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL				
OVERHAUL, SERVICE BULLETIN COMPLIANCE, ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT#

NOTES: Lord part # J-15640-14

HISTORICAL SERVICE RECORD

PAGE 1 OF 1

COMPONENT M/R Mast
 PART NUMBER 269A2010- 5
 SERIAL NUMBER S0800

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	13590	13590	13590	

SCHWEIZER AIRCRAFT CORP.
 P.O. Box 147 • Elmira, NY 14902
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
3-3-0	0105	269C-1	SZR	Ø	Ø						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE 1 OF 1

COMPONENT

T/B SUBUT

PART NUMBER

269A2015-13

SERIAL NUMBER

50545

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL					
LIFELIMIT					

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS	
	A/C #	MODEL #			SINCE NEW	SINCE O/H
6-27-21	N725A	269C-1	TBango	7003.7	355.7	

REMOVAL DATA

DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
		SINCE NEW	SINCE O/H	

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE 1 OF

COMPONENT T/B Support Strut
 PART NUMBER 269A2015-13
 SERIAL NUMBER \$0307

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	10700	10700	N/A	

SCHWEIZER AIRCRAFT CORP.
 P.O. Box 147 • Elmira, NY 14902
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
5-15-00	0111	269C-1	SZR	Ø	NEW		2/28/05	2942.7	2942.7		use on other A/c
2/28/05	0115	269C-1	HAI	2775.4	2942.7		3/16/05	2807.1	2974.4		use on other A/c
3/16/05	0105	269C-1	HAI	2892.8	2974.4						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE 1 OF 1

COMPONENT

Tailboom

PART NUMBER

269A2320-15

SERIAL NUMBER

50511

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	4200	4200	N/A	

SCHWEIZER AIRCRAFT CORP.

1250 Schweizer Rd. • Horseheads, NY 14845

Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
1/28/09	0361	269C-1	SLR	0.0	0.0	—	Aug 14	2,983.1	2,983.1	—	Ins.
11/7/14	0105	269C-1	REPAIR	5175.4	2983.1		Oct 31st	6,416.4	4,224.1		Low Time

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #
Insp. + Repair	Replaced FWD Attach Fittings and installed strap at Aft of T/B for T/R Trans. mount. I/A/W SAC,	Heli-Tech, Inc.	23 Feb 14	R. B. HBPR220K
	CTP-CL-2 Rev. 30 Sep 2013			
	W/O # 15227			

HISTORICAL SERVICE RECORD

PAGE 1 OF

COMPONENT Horizontal Stabilizer

PART NUMBER 269A2516-21

SERIAL NUMBER 51041

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	4200	4200	N/A	

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS	
	A/C #	MODEL #			SINCE NEW	SINCE O/H
8/21/00	51917	269C	SZR	1.8	0	N/A
9/16/10	0105	269C-1	Helivis	4463.9	681.8	

REMOVAL DATA

DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
		SINCE NEW	SINCE O/H	
8-17-10	681.8	681.8	N/A	Sold

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE 1 OF 1

COMPONENT M/R Thrust Bearing
 PART NUMBER 269A5050-63
 SERIAL NUMBER 4573

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	3000	4200	2000	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
8/29/08	0105	269C-1	Helivision	4198.4	New						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE 1 OF 1

COMPONENT M/R Trans. Pinion
 PART NUMBER 269A5103-55
 SERIAL NUMBER 3091AGC

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	6000	6000	8000	*	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
11/13	0165	269-C-11	11/13/56	4963.0	New						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE 1 F

COMPONENT M/R TransmissionPART NUMBER 269A5175-23SERIAL NUMBER 50689

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	3000	4200	3000	
LIFELIMIT	N/A	N/A	N/A	N/A	

SCHWEIZER AIRCRAFT CORP.
P.O. Box 147 • Elmira, NY 14902
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS	
	A/C #	MODEL #			SINCE NEW	SINCE O/H
8-13-98	0086	269C-1	S2R	-0-	NEW	-
1 MAR 06	0105	269C-1	HAI	3492.0	3951.3	0.0
11/1/13	0105	269C-1	HELIO'S	4963.0	4963.0	1011.7

REMOVAL DATA

DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
		SINCE NEW	SINCE O/H	
6-1-05	3951.3	3951.3	-	T.O.
10/6/13	4963.0	4963.0	1011.7	REPLACE UNION

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE		CERTIFYING DATA ON WORK PERFORMED		
BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	BY ACTIVITY	DATE	SIGNATURE AND CERT #
ALL A.D.'S COMPLIED WITH THROUGH BI-WEEKLY 2005-12	OVERHAUL, INSPECTED AND ACCEPTED IN ACCORDANCE WITH HMT APPENDIX C PART I RW3482	SCHWEIZER AIRCRAFT	9-15-2005	[Signature] SN3R847L
ALL AD'S COMPLETED WITH THROUGH BY-WEEKLY.	UNIT WAS REPAIRED PER HMT 269C-1 AND FUNCTIONALITY TESTED PER SEP 15-14. UNIT IS IN AIRWORTHY CONDITION.	AIRE-TECH REPAIRS	10/24/13	[Signature] 79AR239B

INSTALLED INTERNAL PARTS

		ORIGINALLY PLACED IN SERVICE	INSTALLATION DATA		SCHEDULED REMOVAL	REMOVAL DATA		
			ACCUMULATED TIME ON ASSEMBLY OR PART				ACCUMULATED TIME ON ASSEMBLY OR PART	
PART NAME	SERIAL NUMBERS	DATE	SINCE NEW HOURS	SINCE OVERHAUL HOURS	DATE	DATE	SINCE NEW HOURS	SINCE OVERHAUL HOURS
PART NUMBER		COMPONENT HOURS			COMPONENT HOURS			
NAME: PINION	3166 AGC	8-13-98	0.0	New	N/A		SPLINE WEAR	SCRAP
NO: 269A5103-51		0.0			6000.0			
NAME: RING GEAR	3222 AGC	8-13-98	0.0	New	N/A			
NO: 269A5104-7		0.0			ON CONDITION			
NAME: COUPLING	.993	8-13-98	0.0	New	N/A			
NO: 269A5112-1		0.0			ON CONDITION			
NAME: CARRIER	0527	8-13-98	0.0	New	N/A			
NO: 269A5193-1		0.0			6000.0			
NAME: BEARING	4876	8-13-98	0.0	New	N/A		SCRAP OVERHAUL	
NO: 269A5051-20		0.0			4,200			
NAME: PINION	3447 AGC	9-14-2005	0.0	NEW	N/A			
NO: 269A5103-51		0.0			8000			
NAME: BEARING	5409	9-14-2005	0.0	NEW	N/A			
NO: 269A5051-20		0.0			7951.3			
NAME: PINION	0191 AGC	10/24/13	0.0					
NO: 269A5103-55		0.0						
NAME: BEARING	6336	10/24/13	0.0					
NO: 269A5051-20		0.0						

HISTORICAL SERVICE RECORD

PAGE 1 OF 1

COMPONENT Carrier
 PART NUMBER 269A5193-001
 SERIAL NUMBER 0527

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	6000	6000	6000	6000	

SCHWEIZER AIRCRAFT CORP.
 P.O. Box 147 • Elmira, NY 14902
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
8-13-96	0086	269C-1	SZR	-0-	NEW		6-1-03	3951.3	3951.3	-	TX Timeout
1 MAR 05	0105	269C-1	HAI	3492.0	3951.3						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE, ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #
ALL A.D.s Complied with THROUGH BT-WEEKLYS 2005-18	INSPECTED AND ACCEPTED IN ACCORDANCE WITH 269C-1 HME APPX C PART 1	SCHWEIZER AIRCRAFT	9-15-2005	<i>[Signature]</i> SN3R847L

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT M/R Hub (Splined)PART NUMBER 269A5325-1SERIAL NUMBER 50116

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	8000	8000	N/A	

SCHWEIZER AIRCRAFT CORP.
P.O. Box 147 • Elmira, NY 14902
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
12-1-03	0105	269C-1	HAI	1999.9	⊖	⊖					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT: M/R DRIVESHAFT ASSY

PART NUMBER: 269A5326-005

SERIAL NUMBER: SM21046

MODEL #	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	3200	4000	N/A	



INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H		A/C HRS	SINCE NEW	SINCE O/H	
11-19-21	N725A	269C-1	J BRIGO	5938.1	New						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE, ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #



Crtl#: 5676

CrtlID: 1



PN: 269A5326-005

DESC: M/R DRIVESHAFT ASSY

SN: SM21046

MFG CODE: -

PO:

COND: NE

REC. DATE: 7/15/2021

UOM: EA

Mfg Lot #

LOCATION: MFG

RECEIVER #: Mfg

EXP DATE:

CERT SOURCE: MO

REMARK: Mfg ASSEMBLY / LOCAL

Tagged By:

HISTORICAL SERVICE RECORD

Page 1 of 1

COMPONENT: Lower Coupling Shaft PART NUMBER: 269A5559-003 SERIAL NUMBER: DG0005				MODEL	269A/B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models	
				OVERHAUL	N/A	N/A	N/A	N/A		
				LIFE LIMIT	6000	6000	6000	N/A		

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON A/C#	MODEL	BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS SINCE NEW SINCE O/H		DATE	REMOVED AT A/C HRS	COMPONENT HOURS SINCE NEW SINCE O/H		REASON FOR REMOVAL
3/23/21	5105	269C1	Bargo	5788.9	Ø	5788.9	11-19-21	5,938.1	149.2		INSP For AD
3/31/22	5105	269C1	J. Bargo	6086.1	149.2		5-23-22	6,157.0	220.1		INSP For AD
8/11/22	5105	269C1	Bargo	6297.2	220.1		11-5-22	6,433.3	356.2		INSP For AD
2-6-23	5105	269C1	J. Bargo	6579.8	356.2		5-31-23	6,733.6	570		INSP For AD
8-20-23	5105	269C1	Jargo	6671.0	510		6-24-24	7008.7	604.7	642.7	INSP For AD
2-26-25	5105	269C1	J. Bargo	7150.9	642.7						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL				
OVERHAUL, SERVICE BULLETIN COMPLIANCE, ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT#
- E/A AD 2017-14-06 (E/A 8/25/17) IAW ASB NO. C1B-043A	Visual and MPI Inspections performed. Installed NEW boot.	Precision Aviation Inc. W# 222018R	3/5/22	CRS NO. 4A4R106C
- C/W AD 2017-14-06 (E/A 8/25/17) IAW ASB NO. C1B-043A	Visual, dimensional and MPI Inspections performed. Installed NEW boot.	Precision Aviation Inc. W# 222058R	7/11/22	CRS NO. 4A4R106C
- C/W AD 2017-14-06 (E/A 8/25/17) IAW ASB NO. C1B-043A	Visual, dimensional and MPI Inspections performed. Installed NEW boot. Component total time 356.2 Hrs. TSN	Precision Aviation Inc. W# 222122R	12/22/22	CRS NO. 4A4R106C
- C/W AD 2017-14-06	AD complied with by S&S TESTING, DARK HORSE MAINT UNDER WOP# SS14.	3 S&S TESTING	6/14/23	AP 30425831A

NOTES: 150 hour inspection required by AD 2017-14-06

PAGE 2 OF 2

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	6000	6000	6000	6000	

SCHWEIZER AIRCRAFT CORP.
P.O. Box 147 • Elmira, NY 14902
Phone: 607-739-3821 Fax: 607-796-2488

REMOVAL DATA

[illegible]

**OVERHAUL, SERVICE
BULLETIN COMPLIANCE., ETC.**

DESCRIPTION OF WORK PERFORMED

CERTIFYING DATA ON WORK PERFORMED

BY ACTIVITY

DATE _____

SIGNATURE AND CERT #

CLW AD2017-14-06

Inspected per ASB NO C1B-043A Para
Band C (1)-(4)

P.A.I.

9/6/24

CRS4AYR106C

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT T/R Transmission
PART NUMBER 269A5600- 703
SERIAL NUMBER 50723

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	2400	3000	4200	3000	
LIFELIMIT	N/A	N/A	N/A	N/A	

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
12/27/08	0356	269C-1	SZR	0.0	0.0	—	12/27/08	0.0	0.0	—	EVALUATION
10/15/09	2111AB 50723	269C	TZ	759.5	0.0	0.0	4/7/15	3003.7	2244.2	2244.0	USE ON ALT. AC
4/7/15	1905	269C	LH1	5096.9	2244.2	2244.2	5/18/23	5433.2	2586.5	2586.5	SPARES
5-21-23	105	269C-1	SBorgo	6711.7	2586.5	2586.5					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.		CERTIFYING DATA ON WORK PERFORMED	
DESCRIPTION OF WORK PERFORMED		BY ACTIVITY	SIGNATURE AND CERT #
ALL A.D.S Complied with THOUGH OVERHAULED. INSPECTED AND ACCEPTED IAW BE-WEEKLYS 2009-20 269C-1 HME APP C PART II RH4339-500064601		S.A.C.	10/7/09 Richard Lockhart SN 302476

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT T/R Input Shaft
 PART NUMBER 269A5626-5
 SERIAL NUMBER S1292 AGC

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	8600	8600	N/A	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
10/15/09	N114B S/N 31911	269C	SAC	759.5	0.0	—	4/7/15	3603.7	2244.2	2244.2	USE ON ALT. A/C
4/7/15	1905	269C	LH1	5096.9	2244.2	2244.2	5/18/23	5433.2	2580.5	2580.5	SPARE
5-21-23	N125A	269C-1	JB	6711.7	2580.5	2580.5					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.		CERTIFYING DATA ON WORK PERFORMED		
		DESCRIPTION OF WORK PERFORMED	BY ACTIVITY	DATE
ALL A.D.S. Complied with THROUGH BI-WEEKLY 2009-20		INSPECTED AND ACCEPTED IN ACCORDANCE WITH 269C-1 HMI APPX C PART II RH4329 500064-1	SAC	10/7/09

HISTORICAL SERVICE RECORD

PAGE 1 OF

COMPONENT T/R Input Shaft
 PART NUMBER 269A5626-005
 SERIAL NUMBER S671ACR

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	8600	8600	8600	

SCHWEIZER AIRCRAFT CORP.
 P.O. Box 147 • Elmira, NY 14902
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
3-3-00	0105	269C-1	SZR	0	0		8-10-10	4463.8	4463.8		Inspection
9-16-10	0105	269C-1	Helivision	4463.9	4463.9						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE, ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE 1 OF 1

COMPONENT Tail Rotor Assy
 PART NUMBER 269A6034-29
 SERIAL NUMBER 0374

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	N/A	N/A	N/A	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
8/15/08	1917	269C	SZR	φ	φ		Apr 10	681-8	681-8	N/A	Inspection
9/16/10	0105	269C-1	Helicopter	44639	681.8						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #
SAC/C&P-C-10	Inspection for possible defects	HTI-CR# 12745 W/O	08 Sep. 2010	HBPR220K

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT: SHAFT ASSY T/R DRIVE

PART NUMBER: 269A6040-009

SERIAL NUMBER: S0915

MODEL #	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	6000	6000	18600	



INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
11-19-21	N725A	269C-1	J BARGO	5,938.1	New						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE, ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #