

Engine Maintenance Log

AIRCRAFT AND ENGINE DESCRIPTION

		T18	2	68262	N 4726E
Aircraft Mf	fgr.	М	odel	Serial	Registration
Engine Mfg	gr. Zyco	OMING TY	pe HOPUSED	Model 0-540	- <u>L3C50</u> Serial No. <u>L - 23.52.5 - 40</u>
Rated H.P.	دد	35		35	Weight (Dry)
Rated R.P.	M. 6	1400	Maximum R.P.M.	2 400	Oil Pressure
Bore		Stroke		Displacement	Cu. in.
Owner's Na	ame Can	ege B. Fuz	ZELL	(713) 27.	3-1696
Address 4		SE COURT	City CONROL		State TEXAS
c) Al 3) If the er	l entries mu ngine is rem	noved from the aircraf	he name, rating and certi ft, this Engine Log Book is	s to be transferred with	the FAA Repair Station or the mechanic. the removed engine. be recorded on the page at the back of this log.
D5061-13					
			ENGINE MA	AINTENANCE LO	G ction, Repair and Overhaul
ACCUN	MULATED TALS 10ths		ENGINE MA	Description of Inspedata with reference to inspedendorsed with the name, rate	G
ACCUN TO	MULATED TALS	35 1/1	ENGINE MA Enter here general d ALL DATA must be e	Description of Inspedata with reference to inspedendorsed with the name, rate	Ction, Repair and Overhaul ctions, alterations and repairs and overhaul. ang and certificate number of either the FAA
ACCUN TO	MULATED TALS	25 Hy	ENGINE MA Enter here general d ALL DATA must be e	Description of Inspedata with reference to inspedendorsed with the name, rate	G ction, Repair and Overhaul ctions, alterations and repairs and overhaul.
ACCUN TO	MULATED TALS	35 Hy	ENGINE MA Enter here general of ALL DATA must be e Regair Station or	Description of Inspedata with reference to inspedant of the mechanic.	Ction, Repair and Overhaul ctions, alterations and repairs and overhaul. ang and certificate number of either the FAA
ACCUN TO	MULATED TALS	35 Hy	ENGINE MA Enter here general of ALL DATA must be e Regair Station or	Description of Inspedata with reference to inspedendorsed with the name, rate	Ction, Repair and Overhaul ctions, alterations and repairs and overhaul. ang and certificate number of either the FAA
ACCUN TO	MULATED TALS	35 Hy	ENGINE MA Enter here general of ALL DATA must be e Regair Station or	Description of Inspedata with reference to inspedant of the mechanic.	Ction, Repair and Overhaul ctions, alterations and repairs and overhaul. ang and certificate number of either the FAA
ACCUN TO	MULATED TALS	35 H	ENGINE MA Enter here general of ALL DATA must be e Regair Station or	Description of Inspedata with reference to inspedant of the mechanic.	Ction, Repair and Overhaul ctions, alterations and repairs and overhaul. ang and certificate number of either the FAA
ACCUN TO	MULATED TALS	35 Hg	ENGINE MA Enter here general of ALL DATA must be e Regair Station or	Description of Inspedata with reference to inspedant of the mechanic.	Ction, Repair and Overhaul ctions, alterations and repairs and overhaul. ang and certificate number of either the FAA
ACCUN TO	MULATED TALS	25 Hy	ENGINE MA Enter here general of ALL DATA must be e Regair Station or	Description of Inspedata with reference to inspedant of the mechanic.	Ction, Repair and Overhaul ctions, alterations and repairs and overhaul. ang and certificate number of either the FAA
ACCUN TO	MULATED TALS	- 35 My	ENGINE MA Enter here general of ALL DATA must be e Regair Station or	Description of Inspedata with reference to inspedant of the mechanic.	Ction, Repair and Overhaul ctions, alterations and repairs and overhaul. ang and certificate number of either the FAA
ACCUN TO	MULATED TALS	- 35 day	Ender here general of ALL DATA must be e Repair Station or station or station of the station of	Description of Inspedata with reference to inspedant of the mechanic.	Ction, Repair and Overhaul ctions, alterations and repairs and overhaul. ang and certificate number of either the FAA

DATE	ACCUMULATED TOTALS Hours 10ths		Description of Inspection, Repair and Overhaul
19			Enter here general data with reference to inspections, afterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Reoair Station or the mechanic.
			10-5-82 TACH 12.0
			INSPECTED MAGNETO IMPULSE COUPLING
			FOR HARDNESS MAJW AD 82-20-01
			FOUND OK
		+72	Marel S
			AdP 219 7706
3-793	TACH	31.2	TIGHTOND OIL FITTING ON TURBOCHARGUR, RAN ENG
			LEGK CHECKED DK. Rolas Rolas Runk AP522830887
			CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE		ULATED TALS	Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul.
19.83	Hours	10ths	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Reoair Station or the mechanic.
5-13-	83	TT 34.0	INSTALLED NEW TURBOCHARGEL CESSNA P/N C295001-0304
			BUN-UP CHECK GOOD, LEAK CHECK GOOD.
4			John Dayle Mr Yung
			ADP 457137192

ATE	ACCUMI TOT	ULATED ALS	Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA
83	Hours	10ths	Repair Station or the mechanic.
27-8	3 TT	35	PERFORMED ANNUAL INSPECTION ON THIS
			DATE COMPRESSION CHECK AS FOLLOWS &# 19/80</td></tr><tr><td></td><td></td><td></td><td>+ 278/80 4 378/80 # 47/80 # 57/80 # 67/80 CHANGED</td></tr><tr><td></td><td></td><td></td><td>OIL & FILTER WITH 8 QUARTS AEROSHELL 100W</td></tr><tr><td></td><td></td><td></td><td>AND CH48/03 FILTER CHECKED OIL SUMP SCREEN</td></tr><tr><td></td><td></td><td></td><td>FOR METAL PARTICLES, OK. CLEANED AND GAPPED</td></tr><tr><td></td><td></td><td></td><td>ALL SPARK PLUGS. SERVICED AIR FILTER. DRESSED</td></tr><tr><td>- 2</td><td></td><td></td><td>PROP. WASHED ENGINE, RUN-UP CHECK GOOD.</td></tr><tr><td></td><td></td><td></td><td>LEAK CHECK GOOD. CERTIFY THAT THIS ENGINE WHAS BEEN INSPECTED IN ACCORDANCE</td></tr><tr><td>THE STATE OF THE S</td><td></td><td></td><td>TA 457137192 WITH A ANNUAL INSPECTION AND WAS DETERMINED</td></tr><tr><td></td><td></td><td></td><td>TO BE IN AN AIRWORTHY CONDITION.</td></tr><tr><td></td><td></td><td>in _</td><td>TOTAL TIME 35 DATE 5-37-83</td></tr><tr><td></td><td></td><td></td><td>CARDY ACCUMULATED TOTAL O CODINADO TO TOD OF MENT DAGE</td></tr></tbody></table>

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul.
1983	Hours	10ths	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
7-28	T84.	4	INSTALLED HER CHECK VALUE IN OIL LINE TO
*			TURBOCHARGER. RAN ENG LEAK CHECKED OK.
26			IN ACCORDANCE WITH A INSPECTION AND POPULE WORLD ROBERT 4 2 2 2 2 8 8 0 8 8 3
84			COVAR 200 IM 265AUCE AND 1
-6	109.4		Changed Oil + Filter Serviced with 8 ats AS 400
Carrie		- 1	Ran Alc. No Leaks. Son De
10		utra o	AH5216205i8
			ET SEE STEEL PROPERTY AND ALLESSES TO ASSESS NAME OF THE OWNERS OF THE PARTY OF THE
	444		of the property of the second

			Description of Jacqueting Page 1 and Overhaul
DATE		ULATED	Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul.
-	101	ALS	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA
19_84	Hours	10ths	Reoair Station or the mechanic.
5/31	143.	2 TA	ch 4 Total. 100 ha insp for ANNUAL Completed this date Leah down
			#172/0 2 76/0 374/50 47/60 576/60 676/80, changed engine oil 4
			checked & Replaced oil filter (CH-48103) Replaced # 1 Rocker gashet
6.	V/	1	Replaced manifold drain hoses. Retorged intake hose champs.
Phille	ps/c 20	m20)	checked magneto to engine timing & points chemned & gapped &
			Tested spank plus. Engine washed down & RUN up satisfactory
-		-	I CERTIPY THAT THIS ENGINE HAS BEEN INSPECTED
			WAS DETERMINED TO BE IN ATWORTHY CONDITION.
- 0		0-	DATE 5/31/84 T.T. IN SERVICE 143-2
-		HIZE	IN ACCORDANCE WITH A
		woon	2000 4 2007 AP 1391958 IN ACCORDANCE WITH A 9 NAVORTHY CONDITION
			2000 4 2007 () of H9 P 1391938 WAS DETERMINED TO BE IN AIRWORTHY CONDITION. FOR 9 79 89 NOC ACTO LIARLY FRANCE TO
			IA479743853 Gary Herrington
			CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

DATE	1017		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul.		
1984	Hours	10ths	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Reoair Station or the mechanic.		
9-17	2/2.	1	Tack time Installed (EDO-AIRE) SIGHA TEK, VACUUM PUMP		
(M/N/4128B 5/NT8849. Rom engine punction test pornal.		
-			Ling B-Parker		
			AHP 456548682		
1-11-8	5				
	Toch		DATE ALL POLITICAL INSPECTION THIS		
	251	30	ACCOMPLISHED AS PER CHEST 182 TANGETON POPULA		
			Serviced 8 at Acroshell RW BOW DO LOOKS WITED		
#1	24	#2 7	1 CERTIFY THAT THIS AGUS PLANT		
#3	74	MA	HAS BEEN INSPECTED IN ACCORDANCE		
HO	72	H	6 70 WITH AN LOO HE INSPECTION AND WAS		
	8	0187	William B. Weahs		
			CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE 2 16113 Gives A 26		

			ENGINE MAINTENANCE EGG
DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA
19.85	Hours	10ths	Recair Station or the mechanic.
18/	273	00	Removed Turbo and WASTEGATE for overhaus
/			Replaced with new gaskets Tunbo S/N RROIDI
			WASTEGATE SIN KEDINO, Ron engine up no Looks
			noted. William B Weaks 266113640 A+P
		-	
	S	#210-60	
	S. I.S.	N	of him
1	88 8	Sta. Ige 1s 78 Part	2 60:10
1/4	SSC	. 0 9	N -3882 N
)=8	oproved Rep 1442 Parkri Antonio, Te erviceable	# # # # # # # # # # # # # # # # # # #
_	A A	I 442	
	200	San A	The state of the s
·	3/6	A. A.	Work Order Cust. Or. # Owner West Name Serial # Toverhaulee R Repaired Temarks The Toverhaulee
	ŸŽ.	2	Work O Cust. Or Owner Part Nam Part Man Part # Serial # Serial # Part # Part # Part Nam Part Man Part Man Part Man Part Man Part Man Part Nam Part
			ORWARD TO TOP OF NEXT PAGE

DATE.		ULATED	Description of Inspection, Repair and Overhaul					
	TOTALS		Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA					
1983	Hours	10ths	Recair Station or the mechanic.					
5:31	363	5	COMPLETED AND INSPECTION THIS					
	300		DATE. ALL ROUTINE MAINTENANCE					
-			ACCOMPLISHED AS PER Count 1827					
- 4			Inspection report					
			Serviced 12 gt Aeristell MULTIGNALE. 174 474 I CERTIFY THAT THIS power grant 272 374					
			WITH AN Angal INSPECTION AND WAS 3 23 6 75					
			DETERMINED AIR WORTHY.					
			William P. Wenter 266113648 I.A.					
			CO 100000 0 Char 200 113 64 2.21					
	- 15							

DATE	ACCUM	ULATED	Description of Inspection, Repair and Overhaul
DATE	TOT	ALS	Enter here general data with reference to inspections, alterations and repairs and overhaul.
19 85	Hours	10ths	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA
13	Tiours	10003	Repair Station or the mechanic.
7-10	437	1	Completed oil a fette change this late a Cleaned
			goined tested + rotated places. Lewiced 12 ats
			Cerashell Multi-grade No Coake noted on new up.
			William B. Celeur 266113640 ALP
7-25	4635		The state of the s
1-27	10272		COMPLETED JOO HA INSPECTION Lais
			DATE. ALL ROUTINE MAINTENANCE
	74		ACCOMPLISHED AS PER Cesing 1827 Furportion report.
2.	72		Serviced 8 gets desistate pulti-grade to leake noted.
2	78		Replaced Dicition That THIS JOWER PLANT
30			I CERTIFY THAT THIS HOWER PLANT
4	24		HAS BEEN INSPECTED IN ACCORDANCE
5	2.		MITHANI
S	72	1	WITH AN LOS HA INSPECTION AND WAS
6	24		DETERMINED AIR WORTHY.
	80/81		William 12. Weede 266113640 818
			CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

			ENGINE MAINTENANCE EOG
DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul.
1986	Hours	1 Oths	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Reoarr Station or the mechanic.
8-15	492	8.	Replaced Attenday Confine unit This date.
			Of V good William B. Weaps 266136 AH
-18-83	562.	D	COMPLETED 100 HA INSPECTION THIS
			DATE. ALL ROUTINE MAINTENANCE
1	76		Services 8 gts Deroshell MULTI-grade 150 500. No Leaks
2	22		Serviced 8 gts Deroshell MULTI-grade 150 500. No Leaks
3	70		1.0.20
4	72		THIS GOWER PLANT
J	76	19 _	WITH AN LOO HILL INSPECTION AND WAS
6	12		DETERMINED AIR WORTHY A
788 7	80 PSI		William & Weaks 26611364. A+P
			CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

	ACCIUA	ALII ATED	Description of Inspection, Repair and Overhaul
DATE		MULATED TALS	Enter here general data with reference to inspections, alterations and repairs and overhaul.
~			ALL DATA must be endorsed with the name, rating and certificate number of either the FAA
19.88	Hours	10ths	Repair Station or the mechanic.
11-1	615	O	Changed oil + filter serviced 8 gt deroiliel 134 sour
			Chenned appeal + rotated phycisa
			Cleaned, gapped + rotated places 266113640 Atp
1-10-80	662	0	COMPLETED 100 Hh INSPECTION THIS
1 10 00	9 002		ACCOMPLISHED AS PER CESSAN 1827 Inspection reports
			Service) 8 at Aerashell Bu Bow to Lepks pited
			Confronting forespear in 2015.
			HAS BEEN INSPECTED IN ACCORDANCE
1			MATTHEN JOD HO INSPECTION AND WAS
			DETERMINED AIR WORTHY.
			W. Hoye B. 1 Jeshe 266112643 AXP
			CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

DATE		ULATED	Description of Inspection, Repair and Overhaul
DATE	TOTALS		Enter here general data with reference to inspections, alterations and repairs and overhaul.
1986	Hours	10ths	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA
	7,0210	10000	Reoair Station or the mechanic.
3-6	717	2_	Changed oil + Silter Serviced Rooks Servicell Kon son
			No Leaks no Ted. William & Crafe 266/13640 Atop
		8	
-30	740	00	DATE. ALL ROUTINE MAINTENANCE
			ACCOMPLISHED AS PER CessAA T182 Inspection report
	7.	76	Complied with A.D. 78-09-07 Impulse Coupling
	2	74	by inspection. Service) Sate Acrodice 130 000 nobcalls
	3	72	potedo end HAS PERMINIS POWER PLANT
	4	10	WITH AN Acadah INSPECTION AND AND AND AND AND AND AND AND AND AN
	3	76	DETERMINED AIR WORTHK.
	6	72	William B. Wests A+P 266/13640 I.A.
	/	POPSE	
	- Mean		per la entre de la companya de la co

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endesed with the name rating and excitington number of either the EAA
1986	Hours	10ths	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Reoair Station or the mechanic.
7-15	782	00	Replaced VALURE pump with 211CC Sp OGABOO3672
		50.	operatione chark good. a llean D. Water 26611764. App
7-22	788	10	Changed out + filter Servered Saty Servehell
			itto tou no books noted. Willer M. Woofs 266/13648 Ato
7.68	870	60	COMPLETED 100 16 INSPECTION THIS
			DATE ALL ROUTINE MAINTENANCE
	-		ACCOMPLISHED AS PER COSCAL 1827 In spection report
	1	77	Sensined 8 at Denodrell De Lasks noted on
	2	77	run up, LOERTHYTHATTHIS PROPERPLANT
	?	77	HAS BEEN INSPECTED IN ACCORDANCE
	4	76	WITH AN LEO LANSPECTION AND WAS
	1	78	DETERMINED AIR WORTHY.
	12	70/	2.66/13640 Adr
13	-	80/57	CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE
			· · · · · · · · · · · · · · · · · · ·
			ENGINE MAINTENANCE LOG
DATE		MULATED TALS	Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul.
19_86	Hours	10ths	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
11)17	TACH	883.7	Hm 444.3 Performed compression check as followss
	-11-13-1		#1-75, #2-75, #3-74, #4-74, #5-75, #6-75/80.
			71 /3,70 /3, 3 /1, 7 /1, 3 /5, 6 /8/8/3
		(J. Third fores AP574227741
12/30	186 7	tuch T	4.5
12/30	1)	tach To Chewife	14,5 20.1 + f. Her in stalled 8 yfs Acroshell 15 W60
12/30	1)	change	14,5 20.1 + f. Her in stalled 8 yfs Acroshell 15 W60
12/30	1)	Charles Grantes	14,5 PL 0.1 + 8. Her installed 8 yfs Acroshell 15 W60 Q num up ck for lowles at a + this fre
12/30	1)	Charba Garba	14,5 20.1 + f. Her installed 8 yfs Acroshell 15 W60 2 New up ck for locks at @ + his toe
12/30	1)	Charba Garba	14,5 Plies for De 174227741 14,5 Pl o. 1 + f. Her installed 8 yfs Acroshell 15 w60 2 new up ck for lowles at @ + his fre
12/30	1)	Charba Garba	14,5 20.1 + f. Her installed 8 yfs Acroshell 15 W60 2 New up ck for locks at @ + his toe
12/30	1)	Charba Garba	14,5 2 o.1 + f. Her installed 8 yts Acroshell 15 w60 2 new up ck for loubs at a + his tre Etyto Clost

DATE 19 37	TO	TALS	Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA
19 7	Hours	10ths	Reoair Station or the mechanic.
	926,	2	Anjour 57"
i) R	suys co	MOCK	65,58,69,75,73,73 Rent neck Compression and reciting
70,5	0,12,	72, 72	
-3	crye o.		- added 8gts 15/50 are shell.
3) ck'd	nagne	to Poin	to + Timing cleaned + genfred Plass inst 6 New Plass, ander 2011
4) Ture	o chea	ger den	tout For reporte - see card. Rom waste gode control arm
5) R	m#	3 ind	gasket
a) ap	14ce 0	arb L	rent hose.
~ 11		2 cy)	
(1) N	re a	11 4 e	ing mounts.
a) ch	an Re	L Sene	en to other northes!
(A) R	state.	vac f	Pupo 95° tast new cae hose
	le + A	Paint	Prop - cent 12
			CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE
			ENGINE MAINTENANCE LOG
DATE		ULATED	Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul.
19_87	Hours	10ths	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Reoarr Station or the mechanic.
			(any'l From adore)
(4)	Rm	Breathe	
-3	Rtn o.		
	ust Tu		Heater K.+ Ths-100.
13)			ter Bilt Ters in + redustes.
16			
, w)	gin	on 2	
	Nu	01 01	Pate Asp 022523457 Date 5/21/87 Tach. 926.2
			certify that this E
	FITCHBU	RG COLONI	L AVIATION, INC.
	FITCI	Municipal IBURG, MA	101420-6895 inspection and is in a
		16171.58	sirworthy condition.
77			State C Staff # IN 25536082
			CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

DATE	ACCUM	ULATED	Description of Inspection, Repair and Overhaul
DATE	TOTALS .		Enter here general data with reference to inspections, alterations and repairs and overhaul.
19	Hours	10ths	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA
13	110013	10013	Repair Station or the mechanic.
3/4	188	Jue	h 984,1
	()	NON.	stander Bender P/n EBB1310 gps de ale
		X	tosto Cafent
	-	De	P35536542
WAN	- 0000	on o tide	d on:
	10-87	Tool	255
		6	Oxuged oil & Filter motalleto 8 gts 25 150 Acroshell
			and Luce additive Lw 16702.
		(Z)	Coup. check 73,76,72,74,72,74/80.
		6	I check comprised at McCauley prop gov. Sero. Bulletin
			it 134B - does not apply by sevent number. She 820290
			- End The base
			altela 401485882.
			CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

4'4	unual	88 4	ENGINE MAINTENANCE LOG				
	ACCUMI	ULATED	Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and over	erhaul.			-14
# # # # # # # # # # # # # # # # # # #	Hours	10ths	ALL DATA must be endorsed with the name, rating and certificate number of either the Repair Station or the mechanic.	ne FAA		3	
e aire	5-23	-88	Tach 990:9.	ME	ha	I	מ
aircraft	0	Clian	get oil of Filter installed Bats 15/50 Heradell	wor	Do	erti	t a
and /	L	Plyc		C thy	een	ý t	5
or co	<u> </u>	Coup	check 77, 74, 77, 76, 76, 74/80.	COL	S B	hat	-
ompone d and	3	Clean	ned of appeal plays - checked mag trining. 24 & 2 plays.	ditio	pect	this	4
	_6	Clear	ned feel scopens and primer nozzles.	d ob	ted		88
nt identi- inspected	5) Kem	oved turbodrager due to conpressor F.O.D.	H	in a	00	
	1	repar	red by Southwest Cooler Service - see card attracted	8	ction	2	<u> </u>
		peine	sulped a new bondurve.	560	- 1	2	0
	6	Chec	led all controls for travel of security. Tobed same	9	and i	0	30
1161	4	Wheel	ned engine & coul- knyf and look check-some	to	is in		20
		a	his time - 10 10000000	1	5 p		3
			CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE			70	

	ENGINE MAINTENANCE LOG						
DATE		IULATED TALS	Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul.				
19 800	Hours	10ths	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.				
11/89	1151.	9 1					
	(1)		k 73,72,75,71,72,74/80				
	2)	700 7	ed oil & Silter installed 8g & Deroshell 1500				
	(3)	ck ma	eg timeng & ponds FITCHBURG COLONIAL AVIATION INC.				
	P	124	act Sales Service, Parts, Charter				
	5	0	Municipal Airport Part prop FITCHBURG, MA 01420-6895 (508) 345-0373 (508) 75-0373				
	6)	clean	primers + fuel screen (508) 345-0375 FAX # 508-345-5795				
	7) Neame	I all exhaus inlue guides tow you strong to				
	8) dw AD	84.26-02 Induction And Her of the By westerling Brackets Air, 151.9				
		40146	Toute that this everine				
	9)		ency number de for locats alcothus two				
		- /	Analysis in and in it so				
		Here	0(5)(4)				
	للبياد		CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PROSECUTION COndition.				
			ENCINE MAINTENANCE LOC				
D.175	ACCUM	ANNI IULATED	Description of Inspection, Repair and Overhaul				
DATE 19 90	101	TALS	Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA				
19_10_	Hours	10ths	Repair Station or the mechanic				
7/17/90	TACH						
	(1)		ed oil and Filter Instalked Bats AERO Shell 1574-50				
	Ca	ande	e H4 B103 Filter.				
		conto	CK: 180 90 80 80 80 80				
	(3)	Compli	ed W/ MAG 500MR INSPECTION PER BENDIX SERVICE				
		BULLET	in #599B Replaced dist Block, carboy brisker and dist.				
,	(i)		5. 'notalled and Timed to A/C Engines				
	(4)		ed Wy Alterator 500 Ha inspection found Brusher to				
	6	ALCOHOL: NO	ian Replaced and Reinstalled on A/C.				
	0.0		and Capped Sparn pluss, File and painted prop				
			PRIMERS + Full Soreen and Replace ATRIFILEM ETEMBER				
		CONIT					
			CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE				

			ENGINE MAINTENANCE LOG				
DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA				
19	Hours	10ths	Repair Station or the mechanic.				
	(8)	RAR.	#1 Cy lower tonition lead Spring, Lube waste GATE				
		and	TURBO				
	9	dear	essed Ensine and lubed Controls.				
	(10)	Ru	4 Up AK No Leans Found O This Time.				
	12		Eng Stegi Ate 10582467				
-			END -				
			Date 7/17/90 Tach. 1279-3				
	EITCH	BURG COL	ONIAL AVIATION INC. Vice. Parts, Charter I cortify that this EMBINE				
	Acf	Sales, Sei	ipal Airport MA 01420-6895 MAS been inspected in accordance with a 345-0373 ACCORDANCE inspection and is in an				
	F	ITCHBURG (508	345-0373 508-345-5795 AMUAL inspection and is in an				
		FAX #	nicworthy condition.				
			Stylic Hey # DITOSONGSP				
			CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE				
9/18	191		(ANNUAL 91) ENGINE MAINTENANCE LOG				
DATE	ACCUML TOTA		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul.				
19_9/	Hours	10ths	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Reoair Station or the mechanic.				
_7. /		1 1100		_			

9/18	91		(AMWAL 91) ENGINE MAINTENANCE LOG
DATE		ULATED ALS	Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul.
19 9/	Hours	10ths	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Recair Station or the mechanic.
8/12/	II THE	H 134	7.4
		(1) Drained oic Removed + Replaced Filter checked
			Screen & Took ou sample. Serviced engine w/
			BOTS ACROSEN 15 WSO DIL Replaced FATHER W/ Chy8103
			2) comp check Results @ 70/80 (2) 66/80 (3) 64/80 @ 64/80 (3) 64/80
			3) checked may timing & points cheeped timing to
			engine + Found OK @ this time
		9	4) cleaned & gapped spark plugs
		-	3) Cleaned trel strainer screen in carb & Prince
			D) Pressed + Painted Prop
44		9	
120	- 1	9	8) Lubed turbo was to gate w/ morse milk Lub.
310/10			CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

9/12/91	1	(AN	INUM 91) ENGINE MAINTENANCE LOG
DATE 19_ 9/	ACCUMI	TALS 10ths	Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Reoair Station or the mechanic.
			or new.
		(C	Demoved & Replaced torbo wastegate cable
		- a	Al claps & Bands
		Q	12 Retorgred All BBC gaslats Screw 12) Required oic Filer cap yellow
200	4 - 44		The placed scat from Bar Right Backle to cir cooler & heat shield to cabin Air Box
		Q	3) second a tympped various wires acables
3/4	1/1		CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE
8/12	191	II PA	NEUR 91 CONT ENGINE MAINTENANCE LOG

8/12	19/ 11/	NHUR 91 CONF ENGINE MAINTENANCE LOG
DATE	ACCUMULATED TOTALS	Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul.
19_9/	Hours 10ths	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Reoair Station or the mechanic
Mar.	F. J. J.	(6) complied if SEB 91-5 R, By installing drole
		P/N 0770783-1 Part 4 45
13	3-1-4-1-6	D justalled throthe cable per hook on cable.
	2_1 1 1	(8) Nusted & degrand engine ran up & checked
		For leaks pope Found @ this fime.
		A MA'
		M. Mayan 1354523 De 8/12/91 Tach 1397.9
	FITCHBURG CO	LONIAL AVIATION INC. I contify that this Engine
	Acft Sales, S	ervice, Parts, Charter has been ingrested in accordance with a
det	FITCHBUR	G, MA 01420-6895 ANNUAL inspection and is in an
	FAX #	8) 345-0373 508-345-5795 circuitly condition
		Francisco Prosesses
		CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul.
Hours	10ths	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Reoair Station or the mechanic.
13 89	9.	Engine inspected according to Cossing Inspection Guide.
	ā.	Compression Check 1.78 2.70 376 4.72 5.72 6 70/80
2 7 110	This was co	Changed oil and filter with CHY8103 filter and 8 ats deposted = 37
2		ISW-50 OIL
20 3		Replaced air Citer plement with new Brackett element. * 525 8
Z 2		Complied with AD 78-09-07 Impuse Coupling Installed new Question
e e		coupling PN 10-400 325 Snap nos type. Next inspection due 4002
ion cte		IN 500 WE OF TACHE 1889.9
appe		Complied with Cossing SEB 92-7 Turb Check belies Installed 5 8 35
d 2		a check values. PN 52361-1 + 52535-1
700C		Reset magneto point gaps and E gap timing using points and
* V		can adjustments. Installed and timed magneto to ensure.
4 1 1	1 1	Cont. Next Page
	Hours 101	TOTALS Hours 10ths

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

			ENGINE MAINTENANCE EOG
DATE	TE ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul.
1993	Hours	10ths	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Reoair Station or the mechanic.
8-24	1389	9	Complied with Lyconing SB 388B and Cessna SEB 92-21
			Regned all exhaust guides. man
+			Ran ensine no leaks found. End. Emer Taged X+P 27549583
9-9-9	3 TECK	140	Changed oil + checked screen - replaced filter used Aeroshell 1850 8-945.
C#48	103 Fi	Her. F	Changed oil + checked screen - replaced filter, used Aeroshell 1890 8-945. Ilteract open + found ok. Compression check #1-30#1-85#3-60
H4-	80 H5-	30 #6	To. Gernett rotated spark plugs. Tested leads - Checked my
ופס	15+ +	-cming.	Prairied+ flushed carb - cleaned main fuel strainer frained all
ful	1 Sun	ps. I.	isp exhaustand muffler and found of. Checked controls + turbo ok.
Cho	ched Al) NOT	too and found none the at this time. Cla applicable items,
On	100	hr- cl	ech list. Aun up at completion of inspection was wormal. The
			(4) rank Dolari
			P+P1901848IH

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul.	
19	Hours	10ths	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Reoair Station or the mechanic.	
CES	W. W.	No.	9-9-93 THE ON AIREMAN FROM 1410	
1	1 3 7 7	the The	TACH IMF 1440	
165	224 1	The two	Leading that the Engine has been inspected in accordance	
400	84 -7	30 1	Annual and two get well stops that he ha are	
C 683	Carlo Print	The same	condition. All applicable AD Notes have an complex with and are insign	
1		1 500 M	Annual initiality in Docs of log black alone and description of the de	
			0.10.10.12.9RTA	
4-35			Share A Anwier Landson	
	HIL			
CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE				

ENGINE MAINTENANCE LOG

ENGINE MAINTENANCE LOG					
DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul.		
19	Hours	10ths	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Reoair Station or the mechanic.		
10-	17-94		Comp 74 74 72 72 64,70		
	145	51	Drain oil & Fill w 80ts stell 15-50		
			Change f. Her was ox		
		9655388B 30, 32, 32, 30, 32, 34 OK			
		_	Repolate & SPark Phras wo new (12)		
	Rodue an filter elegant.				
			den primer rossels		
			Class Carb inlet screen mais strumer screen		
			Dozin Carh Bows!		
			titer air Box claus		
			titen # 2 i Setian tohe man		
			Restly waite nate clamp		
			OPS CKOK UXSh ero, Conp. con. after 30427175		

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul.
19_95	Hours	10ths	ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
11-	25-95		70/70/71/70 /66/70
		1498.7	T change of & filter insp. on fill a acrostell 15-50
-			dean gap & test Pligs inst. I were gaskts
			clear primer vosoles
			Drain Carb Bowl
			Oress & paint Prop
			CK mAG ting ok
			Replace air Filter element for I-194 on Lousing
		_	Wash engine opschok eft Atp 30427175
			CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

SERVICE INFORMATION LETTER AND AIRWORTHINESS DIRECTIVE LOG

19	ENG: 540-L3C5D S/N: L-23525-40A	Genesis Aircraft Services, Inc.	Date: 01-03-97 Tach: 1535.90
	N#: 4726E	11422 S.R. 54 Odessa, FL 33556	T.T.: 1535.90 Smoh: 1535.96
4-1-17 2-1-17 2-1-17	50wt. Cleaned and at 80: #1-77, #2-points and magnet and check fuel sc routine maintenan listing and compl operational check This ENGINE has b	eplaced filter, fille gapped spark plugs. 78, #3-75, #4-75, #5- o to engine timing-of reen-ok.Replace air f ce. See rear of logbe iance record. Clean es all satisfactory, reen inspected in acce- and was determined	Compression -75, #6-76. Check c. Drain gascolator filter. Perform book for complete AD engine and runup, no apparent leaks. ordance with an
	condition.		
137			y N. Schultz 51310492
		fen	7. 10

Date

SERVICE INFORMATION LETTER AND AIRWORTHINESS DIRECTIVE LOG

Date 19 <u>\$6</u>	Service Information Letter Number	Airworthiness Directive Number	Remarks	Signature
T-30	下りりつ	78-09-07	Impulse Coupling Cu &	27 Tags Billage 266436x les
	8	81-12-06	N/A by M/N	Delo Week 266113670 Asp
	81-81	891-18-04		
9-1-93		\$7-10-06 RI	Rocker Arm NIA	Deank Solary A-1901884
9-7-93		91-14-22	CIB fear NIA MODEL	Quank Dolary AIP1801888
9-1-93		92-12-04	preston Pin with mozol-slu	Quank Solary - A1P1901898
9-1-91		93-11-11	C	Prank Dolary Arp1201898
01-03-97		95-07-01	ATEM AM sollied flood Gos	the lable pre 241310712
0(-05-97		96-09-10	on Pump or syears	Jan July pro 241310402
3-2-98		96-13-03	soft pr. Sul points	
3-2-98		97-01-03	piston pri	*
3-2-98		97-15-11	pishon pis	
394 [11]	person	percent (
				SHIP HAS POOL
Res .		-		