Logbank #3



ASA-SA-2

## Aircraft Record General Information

	^			1 >	2828-8-4	
Manufacturer		Model		Vation	7.11	
Serial 29 -	0139	Regist	Registration Number N43Fm			
Date of Manufactu				28	Park Salah	
pate of manufact			180		3.15	
Engine(s) currentl	y installed:	and the state of t		***	Sec.	
Manufacturer	CE C	Model note	Serial		V., **	
Manufacturer		Model <u>&gt; 2000</u>	Serial		of fore 1	
Propeller(s) currer	ntly installed:	and the second second	Simile			
		Model	n di selen lekkoleken sel d	Market 1 (a) (b) (b) (b) (b) (c) (c) (c) (c) (d)	* .13	
		Serial				
Blade Model		Serial	Serial	Serial		
Blade Model	63	Serial	Serial	Serial	1:15	
		220732.1			87.15	
		Trans.			- V	
		and the state of t				
		ส.ชกั			V 3. 4.	
		# 4877 B				
	e : "E"	J. 27-76.56	Jan 44		- 41 M	

real of wrote a branch judi

YEAR 20 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs, and Alteration Entries must be endorsed with Name, Rating, and Certificate Number Technician or Repair Facility. (See back pages for other specific entries)
2025 8/1/2025	1778.8		1778.8	Logbook # 3 Startely on this do
	Installed (2) J961 flexible P/N 156 P/N FLX 100 stra results.	M 3S: 1778.8 d engine aft 12-44, (4) F fluid carryii 6F001-6D-0 X77012400 aight minera	ter overhaul by P/N J9612-43, ng hoses with 0220. Installed	Certified Engines Unlimited Inc. Installed new engine mount isolators P/N P/N J9614-44, P/N J9612-42 and bolts (4) P/N NAS1307-50. Replaced (2) P/N 156F001-4S-0220, P/N 156F005-3S-0130, P/N 032503E0360F, new oil drain valve P/N CCB-6250. Installed new intake manifold flex ducted oil temp probe P/N 400505LC. Serviced engine with 9 quarts Aeroshelled engine ground run/leak checks and operational checks with satisfactory
Service and the service and th				

EAR 20 ATE	(403)	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Entries must be endorsed wi	ions, Tests, Repairs, and Altera th Name, Rating, and Certificate Numb (See back pages for other specific en	per of
_	N43FN	M M	looney M20	)R	Airframe Logbook	August 1, 2025	
	Hobbs	: 1778.8	S/I	N: 29-0139			
	and s/aircraft overhate Operate Operate I certification	n: 41366691. Continued the con	Operational orrosion an gara Air Paatisfactory.	check satisfact d treated. Clear rts via Canadia Repaired wirin All AD's researc	ory. Removed framing members in the and treated metal and reinstall in Aero Manufacturing #384-91, Was to tail beacon at junction plughed through July 2025.  Indiance with the Mooney M20R AM	led new batteries p/n: RG24-15M s/n: 413666 n LH gear well, top side for corrosion. Clear led. Removed starter adapter and replaced v VO# 23-198) p/n: 642087A69 s/n: CAM23-1 located at access panel of tail trim, LH side and FAR 43 App D and determined to be ristopher Shad A&P 3970756 IA	ned with 98. ide
	7	~		- 0 3.0.			
				5 12			
	*	1	) !				
		8	*	3			
	:						
	\$ 1			) 5 2			