

THE
adlogTM AIRCRAFT
MAINTENANCE
RECORDKEEPING
SYSTEM

**AIRFRAME
MAINTENANCE
RECORDS**



AIRFRAME MAINTENANCE RECORDS

Log No. A

Aircraft Registration No. N2500T

Aircraft Mfg. The Lancair Co Model LC41-550 FG Serial No. 41026

Engine Mfg. Teledyne Continental Model TSIO 550 Serial No. 802674

Engine Mfg. _____ Model _____ Serial No. _____

Propeller Mfg. Hartzell Model HC-H3YF-1RF Serial No. LX56B

Hub Design No. _____ Hub Serial No. A71593B

Blade Design No. _____ Blade Serial No's. K07305

K07307

K07303

Propeller Mfg. _____ Model _____ Serial No. _____

Hub Design No. _____ Hub Serial No. _____

Blade Design No. _____ Blade Serial No's. _____

(All applicable information must be filled in)



AEROTECH PUBLICATIONS INC.

www.adlog.com


PO BOX 1359 / SOUTHOLD, NY 11971-0965

(631) 765-9375

1-800-235-6444



FAX: (631) 765-9359

© 1979 AeroTech Publications Inc.

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
			TOTAL brought forward from previous page
9-13-04	0	0	 The altimeter P/N 5934PAD3-A609, S/N 436305 The Trans-Cal SSD120-30A-RS232A, S/N SRA 9488 altitude reporting equipment, and the pitot /static systems were tested as required by FAR 91.411, Lancair Document SC240001 Rev A, and was found to comply with FAR part 43 Appendix E. A static system leak test has been performed, and was found to comply with FAR 23.1325.  <u>16 Sept 2004</u> Authorized Signature for The Lancair Company
9-23-04	2.4	2.4	 This aircraft was manufactured under FAA Production Certificate 719NM to Type Certificate Data Sheet A00003SE Revision 11. The following items were incorporated at the time of manufacture; Teledyne Continental TSIO-550C Engine serial number 802674. Production flight testing has been completed pursuant to Lancair Document QC900001 Revision -. A check of Airworthiness Directives complied with using Bi-Weekly 2004-19. A Standard Airworthiness Certificate is applied for on this date.  The Lancair Company
			SUB-TOTAL this page
			TOTAL—Carry forward to next page

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
			TOTAL brought forward from previous page
9-23-04	2.4	2.4	A/C Model <u>LC41-550FG</u> Registration # <u>N 2500T</u> Serial Number <u>41026</u> I FIND THAT THE ABOVE AIRCRAFT MEETS THE REQUIREMENTS FOR THE CERTIFICATE REQUESTED AND HAVE ISSUED A STANDARD AIRWORTHINESS CERTIFICATE, (FAA FORM 8100-2), DATED <u>9-23-2004</u> . THE NEXT INSPECTION IS DUE <u>9-2005</u> . Signed  <u>Rich Arterburn</u> ODARF636210NM
			 22550 Nelson Road Bend, Oregon 97701 THE LANCAIR COMPANY Certified Aircraft
			N2500T Hobbs: 8.3 November 18, 2004 Lancair LC41-550FG S/N: 41026
			Removed and replaced elevator trim tab assembly with new; adjusted elevator trim tab throws to manufacturer's specifications. Adjusted pot on trim panel for correct elevator trim indication. Removed and replaced engine oil pressure transducer with a new unit P/N P165-100G-E4A. Performed service bulletin SB-04-018 by installing new oil cooler baffle support bracket.  <u>Richard Ingram</u> A&P 542083175
			
			SUB-TOTAL this page
			TOTAL—Carry forward to next page

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
			<p>N2500T Hobbs: 87.8 Date: August 22, 2005 Lancair LC41-550FG S/N: 41026</p> <p>Reconfigured MFD settings in accordance with Columbia Document No. RC240004, Initial Set-Up Procedures for the Columbia 400 Avionics with Entegra. Tightened hardware on GPU plug. Ops check ok. This aircraft is in airworthy condition and is approved for return to service.</p> <p>Edward A. Wakefield A&P 2836947</p>
			<p> COLUMBIA™ COLUMBIA AIRCRAFT MANUFACTURING CORPORATION 22550 NELSON ROAD, BEND, OR 97701</p>
			<p>N2500T S/N: 41026 MODEL: LC41-550FG TACH TIME: 20.27</p> <p> AIRFRAME LOG</p> <p>2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275</p> <p>FAA APPROVED REPAIR STATION # JYVR016L</p> <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AIR REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p>
			<p>DATE: 02-22-05 W.O. #: 14296 TOTAL TIME: 20.27</p> <p>C/W SL-04-010A, installed Nose Fairing and Wing Cuff Strip. Ground run up inspection performed. ops check ok. END</p>
			<p>SUB-TOTAL this page</p>
			<p>TOTAL—Carry forward to next page</p>

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
			<p>TOTAL brought forward from previous page</p> <p> AIRFRAME LOG</p> <p>2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275</p> <p>FAA APPROVED REPAIR STATION # JYVR016L</p> <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AIR REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p>
			<p>N2500T S/N: 41026 MODEL: LC41-550FG TACH TIME: 20.2</p> <p> AIRFRAME LOG</p> <p>2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275</p> <p>FAA APPROVED REPAIR STATION # JYVR016L</p> <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AIR REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p>
			<p>DATE: 05-13-05 W.O. #: 14488 TOTAL TIME: 57.8</p> <p>S.B.05-005 Elevator Torque Tube: No Cracks found. Serviced Oxygen System. Wired Door Seal. Charged Battery.</p> <p> AIRFRAME LOG</p> <p>2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275</p> <p>FAA APPROVED REPAIR STATION # JYVR016L</p> <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AIR REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p>
			<p>DATE: 08-09-05 W.O. #: 14635 TOTAL TIME: 75.6</p> <p>R&R Static Wick with new. P/N AS6-0001 Micro Static Discharger.</p> <p> AIRFRAME LOG</p> <p>2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275</p> <p>FAA APPROVED REPAIR STATION # JYVR016L</p> <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AIR REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p>
			<p>DATE: 08-09-05 SIGNED: </p> <p>TOTAL—Carry forward to next page</p>

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
			TOTAL brought forward from previous page

N2500T
S/N: 41026
MODEL: LC41-550FG
TACH TIME: 99.1



DATE: 09-02-05
W.O. #: 14690
TOTAL TIME: 99.1

AIRFRAME LOG

2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275

FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AIR REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

DATE: 09-02-05 SIGNED: *[Signature]*

Serviced all fuel injectors nozzles. Checked tire pressure. P/N SA630979-9-Orings, SA633958-3-Seals, SA640612-Washers. END

N2500T
S/N: 41026
MODEL: LC41-550FG
TACH TIME: 102.0



DATE: 09-14-05
W.O. #: 14708
TOTAL TIME: 20.2

AIRFRAME LOG

2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275

FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AIR REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

DATE: 09-14-05 SIGNED: *[Signature]*

Oxygen serviced to full level. END

N2500T
S/N: 41026
MODEL: LC41-550FG
TACH TIME: 125.3



DATE: 10-11-05
W.O. #: 14769
TOTAL TIME: 125.3

AIRFRAME LOG

2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275

FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AIR REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

DATE: 10-11-05 SIGNED: *[Signature]*

R&R Oxygen Bottle Following Service.

TOTAL—Carry forward to next page

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
			TOTAL brought forward from previous page

N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 147.7



2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275

FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

DATE: 12-01-05 SIGNED: *[Signature]*

C/W an ANNUAL INSPECTION in accordance with Columbia 400 Inspection Checklist.
C/W Yearly Inspection of ELT as per 91-207 (d).
R&R Co-Pilot Gas Spring with new.
R&R Air Filter with new. P/N BA 34SE
R&R Elevator Static Wick with new. P/N SD6-0001.
C/W SB05-012 Throttle Lever. Complied with bv Inspection.

N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 242.4



DATE: 04-12-06
W.O. #: 15124
TOTAL TIME: 242.4

2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275

FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

DATE: 04-12-06 SIGNED: *[Signature]*

Serviced Oxygen Bottle to Full Capacity.

SUB-TOTAL this page

TOTAL—Carry forward to next page

Page No. _____

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
TOTAL brought forward from previous page			

N2500T
S/N:41026
MODEL: LC41-550FG
HOBBS TIME:250.4



AIRFRAME LOG

2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275

FAA APPROVED REPAIR STATION # JYVR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

DATE: 04-22-06 SIGNED: *[Signature]*

R&R Lancair Decals- in accordance with SL 05-021.
R&R Number Five CHT Probe with new. P/N RF1036401 Probe.

N2500T
S/N:41026
MODEL: LC41-550FG
HOBBS TIME:263.5



AIRFRAME LOG

2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275

FAA APPROVED REPAIR STATION # JYVR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

DATE: 05-06-06 SIGNED: *[Signature]*

R&R Alternator with O/H. P/N ALX-9524R

WESTERN AVIONICS, INC. 19711 CAMPUS DR. HANGAR A SANTA ANA, CA 92707 YH3R997L
LOG ID# 774 09-June-2005 WO# 213592 REF# 213592
N2500T S/N 41026 LANCAIR 400

Pg 1 / 1

--- DATA FROM W&B # 456 Dated: Jun-09-2005 ---
Follow Equipment Removed: NONE
Follow Equipment Installed: COMANT CI420-1 XMD076-1
New Empty Weight: 2522.90
New C.G /Arm: 104.68
New Moment: 264098.80
New Useful Load: 1077.10
The installation was performed in accordance with manufacturers specifications and is approved for return to service.

Signed STAN ERICKSON

6/15

TOTAL—Carry forward to next page

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
TOTAL brought forward from previous page			

N2500T
S/N:41026
MODEL: LC41-550FG
HOBBS TIME:305.2



AIRFRAME LOG

2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275

FAA APPROVED REPAIR STATION # JYVR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

DATE: 06-26-06 SIGNED: *[Signature]*

R&R Outboard L/H Elev. Static Wick with new.
Inspected CHT Probe and Wires. Cleaned Contacts.

N2500T
S/N:41026
MODEL: LC41-550FG
HOBBS TIME: 322.9



DATE: 08-23-06
W.O. #: 15408
TOTAL TIME: 322.9

2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275

FAA APPROVED REPAIR STATION # JYVR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

DATE: 09-21-06 SIGNED: *[Signature]*

R&R Starter Adapter with new. P/N 642087A65R

N2500T
S/N:41026
MODEL: LC41-550FG
HOBBS TIME:355.4



DATE: 09-19-06
W.O. #: 15488
TOTAL TIME:355.4

2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275

FAA APPROVED REPAIR STATION # JYVR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

DATE: 09-19-06 SIGNED: *[Signature]*

Installed Gami Injector Kit, performed fuel leak test. No leaks found. P/N TIGT 550-19B
Added 800 PSI of Oxygen.

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
			TOTAL brought forward from previous page

N2500T
S/N:41026
MODEL: LC41-550FG
HOBBS TIME: 379.3



DATE:10-11-06
W.O. #: 15553
TOTAL TIME: 379.3

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

DATE: 10-11-06 SIGNED: *[Signature]*

R&R Nose Wheel Fairing with new. Supplied by Columbia Aircraft. P/N LA71324000-S1 REV. K. WHEEL PANT, LA71321001 FORK, NOSE GEAR, LA71322001EAR, TOWBAR, DAK-010 ANTI CHAFE TAPE KIT.

N2500T
S/N:41026
MODEL: LC41-550FG
HOBBS TIME:410.9



DATE:01-04-07
W.O. #: 15692
TOTAL TIME:410.9

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

DATE: 01-04-07 SIGNED: *[Signature]*

C/W an ANNUAL INSPECTION in accordance with Columbia 400 Inspection Checklist.
C/W Yearly Inspection of ELT as per 91-207 (d). R&R ELT Battery with new. P/N 452-3063
R&R Ceiling Light with new.
Refilled Oxygen Bottle.
R&R Manifold Sensor with new.
R&R Cargo Door Gas Strut. P/N SPD-GS-5100-40
R&R Air Filter with new. P/N BA345E
R&R Both Main Tires and Tubes with new. P/N 072-449-0 Tires and 097-500-0 Tubes.
R&R L/H Main Strut with new upper bushing. P/N 32FB16. Loctite 674

SUB-TOTAL this page

TOTAL—Carry forward to next page

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
			TOTAL brought forward from previous page

N2500T
S/N:41026
MODEL: LC41-550FG
HOBBS TIME: 410.9



DATE:01-29-07
W.O. #: 15692
TOTAL TIME: 410.9

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

DATE: 01-29-07 SIGNED: *[Signature]*

R&R Ceiling Light with new.
R&R Manifold Sensor with new.
R&R Cargo Door Gas Strut with new. P/N SPD-GS-5100-40
R&R L/H Main Strut with new upper bushing. P/N 32FB16. Loctite 674.
AD2005-12-20 Detect and Correct Cracks in Elevator Torque Tube Assy. Installed SM06-002B Kit, under Company warranty.

N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 419.2



DATE: 03-07-07
W.O. #: 15865
TOTAL TIME: 419.2

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*
R&R EYE BALL AIR DUCT WITH NEW. P/N AV357304-2
R&R PILOT COCKPIT LIGHT WITH NEW. P/N 14VMOD1.

N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 441



DATE: 05-29-07
W.O. #: 16070
TOTAL TIME: 441

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*
SERVICED OXYGEN TO 1600 PSI.

SUB-TOTAL this page
TOTAL—Carry forward to next page

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
TOTAL brought forward from previous page			

N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 456.5



AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JVYR016L

DATE: 07-15-07
W.O. #: 16023
TOTAL TIME: 456.5

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*

C/W SB-07-002 INSPECTED LINEAR BEARING. CHECKED OK.
C/W SB-06-003. INSTALLED NEW COUNTER WEIGHTS. PERFORMED STATIC BALANCE ON LEFT AND RIGHT AILERONS. REINSTALLED AILERONS AFTER WORK IAW AMM. CHECKED OK.

N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 456.5



AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JVYR016L

DATE: 07-23-07
W.O. #: 16229
TOTAL TIME: 456.5

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*

CHARGED OXYGEN SYSTEM

N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 464.3



AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JVYR016L

DATE: 08-17-07
W.O. #: 16313
TOTAL TIME:

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*

R&R OIL PRESSURE TRANSDUCER WITH NEW. P/N P165-100G-E4A.
R&R ANNUNCIATOR WITH NEW. P/N LA53311700-4.

SUB-TOTAL this page

TOTAL—Carry forward to next page

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
TOTAL brought forward from previous page			

N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 480.2



DATE: 09-12-07
W.O. #: 16382
TOTAL TIME:

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*

R&R TRIM PANEL WITH NEW. P/N 08A0200-1.

N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 492.6



DATE: 10-25-07
W.O. #: 16464
TOTAL TIME:

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*

C/W A 50 HOUR INSPECTION, ALL LIGHTS CHECKED, BATTERY SERVICED, TIRES SERVICED, PROP CLEANED. OPS CHECKED OKAY.
REMOVED TRIM PANEL. RECALIBRATED SYSTEM FOR TRAVEL. TESTED SYSTEM. CHECKED OK.
R&R BOTH MAIN BRAKE LININGS WITH NEW. P/N RA66-62.
R&R NAV LIGHTS BULB WITH NEW. P/N NL7512-24.
R&R L/H MAIN TIRE AND TUBE WITH NEW. TIRE P/N 15X6.00X6 6 PLY FLIGHT CUSTOM III. TUBE P/N 15/6.00-6.

N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME:



DATE: 04-28-08
W.O. #: 16874
TOTAL TIME:

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*

REFILLED OXYGEN BOTTLE TO 1850 LBS AVIATORS OXYGEN.

SUB-TOTAL this page

TOTAL—Carry forward to next page

WESTERN AVIONICS, INC. 19711 CAMPUS DR. HANGAR A SANTA ANA, CA 92707 YH3R997L
LOG ID# 1693 09-November-2009 WO# 224528 REF# 224528 HOBBS 593.0
N2500T S/N 41026 LANCAIR LC41-550FG

Pg 1 / 1

UPATED MATH SOFTWARE TO 3.3 FOR GARMIN GNS 430W S/N: 97121862 IAW GARMIN SB #0918, REVISION A DATED
AUGUST 4, 2009. UPDATED GPS SOFTWARE TO 3.2 IAW GARMIN SB #0848, REVISION B DATED MARCH 20, 2009.
THIS AIRCRAFT AND/OR COMPONENT HAS BEEN REPAIRED AND INSPECTED IAW APPLICABLE FEDERAL AVIATION
REGULATIONS AND WAS FOUND TO BE IN AIRWORTHY CONDITION IN RESPECT TO THE WORK PERFORMED AND IS
APPROVED FOR RETURN TO SERVICE.

Signed

YH3R997L STAN ERICKSON

11-9-09

Date

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
N2500T S/N: 41026 MODEL: LC41-550FG HOBBS TIME: 524.4	 AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JVYR016L <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p> <p>SIGNED: <i>[Signature]</i></p> <p>RE-FILLED OXYGEN TANK TO 1800 LBS.</p>		
N2500T S/N: 41026 MODEL: LC41-550FG HOBBS TIME: 542.7	 AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JVYR016L <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p> <p>SIGNED: <i>[Signature]</i></p> <p>R&R NOSE STRUT WITH OVERHAULED. P/N LA71325000-ARX.</p>		
N2500T S/N: 41026 MODEL: LC41-550FG HOBBS TIME: 550.5	 AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JVYR016L <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p> <p>SIGNED: <i>[Signature]</i></p> <p>SERVICED O2 SYSTEM TO 2000 PSI. BLED LEFT BRAKE SYSTEM CHECKED OK.</p>		
<p>WESTERN AVIONICS, INC. 19711 CAMPUS DR. HANGAR A SANTA ANA, CA 92707 YH3R997L LOG ID# 1444 11-November-2009 WO# 224473 REF# 224473 224473 S/N 41026 LANCAIR LC41-550FG TSNEW 593.0 Pg 1 / 1</p> <p>INSTALLED WAAS MODIFICATION KIT IN SPACE PROVIDED IN REFERENCE WITH CESSNA SB09-34-01 AND FAA 8110-3 APPROVAL FOR THE REMOVAL OF THE CX 248-10 ANTENNA AND INSTALLATION OF THE GA 35 GPS ANTENNA DATED 11-03-09. GROUND AND FLIGHT CHECKS WERE MADE AND THE SB EXHIBITS NO INTERFERENCE TO COMMUNICATION OR NAVIGATION SYSTEM. AIRCRAFT WEIGHT AND BALANCE WAS SUPERCEDED.</p> <p>Signed: YH3R997L STAN ERICKSON Date: 11/11/09</p>			

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
N2500T S/N: 41026 MODEL: LC41-550FG HOBBS TIME: 559.3	 AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JVYR016L <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p> <p>SIGNED: <i>[Signature]</i></p> <p>C/W ANNUAL INSPECTION IAW CESSNA 400 SERVICE AND MAINTENANCE MANUAL. C/W YEARLY INSPECTION OF ELT AS PER FAR 91.207(d). TESTED AND INSPECTED. CHECKED OK. REMOVED OLD ELT SYSTEM AND INSTALLED NEW ARTEX ME406 ELT SYSTEM IAW ARTEX INSTALLATION MANUAL 570-1600 REV F. S/N 188-04159. TESTED AND CHECKED OK. C/W AD2005-12-20 C2. INSPECTED TORQUE TUBE. NO CRACKS FOUND. C/W AD2007-07-06 R1. INSPECTED LINEAR BEARING. FOUND IRRETRIEVABLE FOREIGN OBJECT DEPOSITS. C/W SB07-018A. INSTALLED ACCESS PANEL ON BOTH WINGS AS PER SB-07-018A. REMOVED ALL IRRETRIEVABLE FOREIGN OBJECT DEPOSITS FOUND DURING AD2007-07-06 R1 INSPECTION P/N SB-07-018A KIT. PAINTED ACCESS PANEL TO MATCH AIRCRAFT. R&R RIGHT LANDING GEAR BUSHING WITH NEW. P/N 32FS16. R&R RIGHT FLAP BOLTS WITH NEW. P/N AN24-16, AN320-4, AN310-4, AN4-7. SERVICED OXYGEN TO 1800 PSI. R&R INDUCTION CLAMP WITH NEW. P/N MS21919WDG16, 649965, SA640612. C/W ALL ADs THROUGHOUT THIS DATE.</p>		
N2500T S/N: 41026 MODEL: LC41-550FG HOBBS TIME: 559.3	 AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JVYR016L <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p> <p>SIGNED: <i>[Signature]</i></p> <p>REMOVED AND REINSTALLED ALTERNATOR AMP GAGE AFTER OUTSIDE REPAIR. SYSTEM TESTED GOOD.</p>		
N2500T S/N: 41026 MODEL: LC41-550FG HOBBS TIME: 566.9	 AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JVYR016L <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p> <p>SIGNED: <i>[Signature]</i></p> <p>SERVICED OXYGEN TO 1600 PSI.</p>		
<p>SUB-TOTAL this page</p> <p>TOTAL—Carry forward to next page</p>			

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
			TOTAL brought forward from previous page

N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 581.5



DATE: 08-19-09
W.O. #: 17767
TOTAL TIME: 581.5

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JYVR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *Jay's*
SERVICED OXYGEN TANK TO 1500 PSI W/AVIATORS OXYGEN.

Jackson Hole Aviation, LLC
P.O. Box 3829 Jackson, WY 83001
(307) 733-4767

Date - 8-29-09 A/C Reg. - N2500T
Hobbs - 585.2

Replaced left main tire P/N# 15 x 6.00 - 6, tube 15 x 6.00. No defects noted.
"The Aircraft, Airframe Engine, Propeller, or Appliance identified herein was repaired and inspected in accordance with current regulations of the Federal Aviation Administration, and in respect to the work performed, is approved for return to service in accordance with FAR 43.9" Pertinent details of the repair are on file at this repair station under W/O# 3584 Dated 8-29-09 and a copy is attached to the product maintenance record.

Inspector: *Jay's* for Jackson Hole Aviation, LLC CRS#J3HR633H

N2500T
S/N: 41026
MODEL: 400
HOBBS TIME: 599.6



DATE: 02-04-10
W.O. #: 18050
TOTAL TIME: 599.6

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JYVR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *Jay's*
C/W ANNUAL INSPECTION IAW CESSNA 400 SERVICE AND MAINTENANCE MANUAL.
FAR 91-207(d) COMPLIED WITH YEARLY INSPECTION OF ELT BATTERY. BY PHYSICAL TEST OPS. CHECKED OKAY. ELT BATTERY EXP FEB 2014.
C/W AD2007-07-06 R1 INSPECTED LINEAR BEARING AND AILERON BAY. CLEAN - NO DEBRIS.
C/W AD2005-12-20 C2 INSPECTION OF ELEVATOR TORQUE TUBE. NO CRACK FOUND.
TIGHTENED UPPER BOLTS ON NOSE GEAR STRUT.
C/W AD2009-09-09 RUDDER HINGES BY INSTALLATION OF CESSNA KIT MK400-27-01 IAW SB09-27-01 R2. NO FURTHER INSPECTION REQUIRED.
R&R REAR LH AND RH NAV LIGHTS W/NEW. P/N 34-0428070.
C/W ALL ADs THROUGHOUT THIS DATE.

SUB-TOTAL this page

TOTAL—Carry forward to next page

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
			TOTAL brought forward from previous page

N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 614.1



DATE: 05-12-10
W.O. #: 18245
TOTAL TIME: 614.1

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JYVR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *Jay's*
OXYGEN SERVICED TO 1600 PSI.

N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 629.2

DATE: 06-10-10
W.O. #: 18290
TOTAL TIME: 629.2

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JYVR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *Jay's*
SERVICED TO 1600 PSI
R&R SCREWS ON RH COWLING W/NEW.

N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 634.1

DATE: 07-02-10
W.O. #: 18324
TOTAL TIME: 634.1

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JYVR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *Jay's*
ALL ITEMS SERVICED IAW SB10-28-01 C/W.
OXYGEN SYSTEM SERVICED WITH AVIATOR'S OXYGEN.
SERVICED NOSE TIRE PRESSURE TO 88 PSI & MAIN TIRE PRESSURE TO 55 PSI.
INSTALLED DOOR PANEL PROTECTOR. P/N FAK-CF210/DJ.

SUB-TOTAL this page

TOTAL—Carry forward to next page

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
			TOTAL brought forward from previous page
N2500T S/N: 41026 MODEL: LC41-550FG HOBBS TIME:			 AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JYVR016L
<p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p> <p>SIGNED: <i>[Signature]</i></p> <p>SERVICED OXYGEN BOTTLE TO 2000 PSI.</p>			
N2500T S/N: 41026 MODEL: LC41-550FG HOBBS TIME: 660.2			 AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JYVR016L
<p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p> <p>SIGNED: <i>[Signature]</i></p> <p>REFILLED OXYGEN FROM 1000 PSI TO FULL.</p>			
N2500T S/N: 41026 MODEL: LC41-550FG HOBBS TIME: 686.6			 AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JYVR016L
<p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p> <p>SIGNED: <i>[Signature]</i></p> <p>C/W ANNUAL INSPECTION IAW CESSNA 400 SERVICE AND MAINTENANCE MANUAL. FAR 91-207(d) COMPLIED WITH YEARLY INSPECTION OF ELT BATTERY BY PHYSICAL TEST. OPS CHECKED OK. ELT BATTERY EXPIRES AUGUST 2014. R&R VACUUM REGULATOR FILTER W/NEW. P/N B3-5-1. C/W AD2005-12-20C2 ELEVATOR TORQUE TUBE INSPECTION. C/W AD2007-07-06 R1. INSPECTED LINEAR BEARING. NO FOD FOUND AT THIS TIME. C/W ALL AD's THROUGHOUT THIS DATE.</p>			
			SUB-TOTAL this page
			TOTAL —Carry forward to next page

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
			TOTAL brought forward from previous page
<p>PERFORMED ENCODER(S), ALTIMETER(S), AND STATIC SYSTEM(S) INSPECTIONS REQUIRED UNDER FAR 91.411. THE INSTALLED SYSTEM(S) MEET THE REQUIREMENTS OF FAR 43 APPENDIX E. THE ALTIMETER(S) INSTALLED HAVE BEEN TESTED TO AN ALTITUDE OF <u>25,000</u> FEET.</p>			
ACFT REG: N2500T TACH TIME: 692.0 LEFT ALTIMETER MANUFACT: Avidyne MODEL: EXP-5000 TSO: C10b RIGHT ALTIMETER MANUFACT: United MODEL: 5934PAD-3 TSO: C10b			PERFORMED ATC TRANSPONDER TEST AND INSPECTION. THE SYSTEM(S) INSTALLED COMPLY WITH THE REQUIREMENTS OF FAR 91.413 & APPENDIX F OF FAR 43.
DATE OF TEST: <u>Mar. 22, 2011</u> INSPECTOR: <i>[Signature]</i>	ACFT. REG: N2500T TACH TIME: 692.0 TXPDR#1 MANUFACT: Garmin MODEL# GTX-330 TXPDR#2 MANUFACT: N/A MODEL# N/A	DATE OF TEST: <u>Mar. 22, 2011</u> INSPECTOR: <i>[Signature]</i>	
<p>ROSS AVIATION 1961 AVIATION DRIVE HGR C CORONA, CA. 92880-9602 FAA CRS # X4GR174Y</p>			
N2500T S/N: 41026 MODEL: LC41-550FG HOBBS TIME: 691.8			 AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JYVR016L
<p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p> <p>SIGNED: <i>[Signature]</i></p> <p>REMOVED AND REINSTALLED BOTH BATTERIES AFTER CHRGED.</p>			
N2500T S/N: 41026 MODEL: LC41-550FG HOBBS TIME: 707.5			 AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JYVR016L
<p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p> <p>SIGNED: <i>[Signature]</i></p> <p>AIRCRAFT DE-FUELED AND RE-FUELED AFTER ONE GALLON SAMPLE RETAINED FOR ANALYSIS.</p>			
N2500T S/N: 41026 MODEL: LC41-550FG HOBBS TIME: 711.7			 AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JYVR016L
<p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p> <p>SIGNED: <i>[Signature]</i></p> <p>BOTH NOSE PANT AND NOSE FAIRING PAINTED.</p>			

WESTERN AVIONICS, INC. 19711 CAMPUS DR. HANGAR A, SANTA ANA, CA 92707 CRS YH3R997L
N2500T LANCEAIR 400 LC41-550FG S/N 41026 ACFT TT: 726.1 WO# 227944

- Performed Avidyne Software Update 8.1 per Avidyne Service Bulletin 601-00004-102 Rev 00 for MFD EX50000 SN: 21525285
- Post Installation Check Out per Avidyne Installation Manual checks good.

THE AIRCRAFT COMPONENT(s) IDENTIFIED ABOVE HAVE BEEN INSPECTED WITH REFERENCE TO ALL CURRENT FEDERAL
REGULATIONS AND FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS ARE ON FILE AT THIS AGENCY.

Signed

STAN ERICKSON

6 July 2011

Date

FAA APPROVED REPAIR STATION

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH

TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
-----------------------	------------------------------	---



N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 731.4

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JYVR016L

DATE: 08-09-11
W.O. #: 19133
TOTAL TIME: 731.4

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*
R&R CABIN DOME LIGHT WITH NEW. P/N 6418.



N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 742.8

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JYVR016L

DATE: 09-14-11
W.O. #: 19186
TOTAL TIME: 742.8

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*
SERVICED OXYGEN SYSTEM TO 1200 PSI.
SERVICED ALL TIRE PRESSURE TO MANUFACTURER SPECIFICATIONS.



N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 742.8

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JYVR016L

DATE: 09-15-11
W.O. #: 19199
TOTAL TIME: 742.8

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*
N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 747.0



AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JYVR016L

DATE: 12-13-11
W.O. #: 19360
TOTAL TIME: 747.0

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*
R&R RIGHT BRAKE CALIPER AFTER RESEALED WITH NEW O-RINGS. P/N MS28775-222 (2). TORQUED TO SPECIFICATIONS IAW CESSNA MAINTENANCE MANUAL, & BLEED BRAKE SYSTEM. OPERATION CHECKED OK.
SERVICED OXYGEN SYSTEM.

R&R MASTER CYLINDER O-RINGS WITH NEW IAW CESSNA MAINTENANCE MANUAL. P/N MS28775-110 (1), MS28775-113 (1), MS28775-012 (1).

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
------	-----------------------	------------------------------	---

TOTAL brought forward from previous page



N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 756.2

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JYVR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*
C/W ANNUAL INSPECTION IAW CESSNA 400 SERVICE AND MAINTENANCE MANUAL.
FAR 91-207(d) COMPLIED WITH YEARLY INSPECTION OF ELT BATTERY BY PHYSICAL TEST. OPS CHECKED OK. ELT BATTERY EXPIRES 2014.
PITOT STATIC TRANSPONDER TEST DUE DATE: 03/31/2013.
R&R VACUUM REGULATOR FILTER W/NEW. P/N B3-5-1.
C/W AD2007-07-06 R1 BY INSPECTION OF LINEAR CONTROL SURFACE BEARING. NO DEFECTS FOUND AT THIS TIME.
C/W AD2005-12-20 C2 BY INSPECTION OF ELEVATOR TORQUE TUBE. NO DEFECTS FOUND AT THIS TIME.
R&R ALL OXYGEN BOTTLES AFTER HYDROSTATIC TEST PERFORMED BY OUTSIDE VENDOR UNDER INV# 12-12957. R&R SECO SEAL WITH NEW. P/N SECO764L. HYDRO DUE DATE: JAN 2017.
R&R RIGHT SIDE TAIL NAV WITH NEW. P/N 34-0428070-64.
R&R NOSE GEAR ATTACHMENT BOLTS WITH NEW. P/N AN4-7A. TORQUE TO SPECS. CHECKED OK.
SBs THAT APPLIED TO THIS AIRCRAFT MAY NOT HAVE BEEN PERFORMED. (OWNER ADVISED)
C/W ALL ADs THROUGHOUT THIS DATE.



N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 758.2

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JYVR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*
SERVICED OXYGEN SYSTEM TO PRESSURE SPECIFICATIONS.




N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 802.1


AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JYVR016L


THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*
OXYGEN SYSTEM SERVICED.

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
N2500T	S/N: 41026	MODEL: LC41-550FG	 HOBBS TIME: 806.0
<p>AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JYVR016L</p> <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p> <p>SIGNED:  R&R DOOR SEAL PRESSURE SWITCH WITH NEW. P/N 9072-905. SERVICED OXYGEN SYSTEM TO 1800 PSI.</p>			
N2500T	S/N: 41026	MODEL: LC41-550FG	 HOBBS TIME: 809.4
<p>AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JYVR016L</p> <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p> <p>SIGNED:  SERVICED OXYGEN SYSTEM TO 1800 PSI.</p>			
N2500T	S/N: 41026	MODEL: LC41-550FG	 HOBBS TIME: 825.0
<p>AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JYVR016L</p> <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p> <p>SIGNED:  SERVICED OXYGEN SYSTEM TO 1800 PSI.</p>			
<p>WESTERN AVIONICS, INC. 19300 IKE JONES RD., SANTA ANA, CA 92707 CRS YH3R997L</p> <p>N2500T LANCEAIR LC41-550FG S/N: 41026 WO# 231647 HOBBS: 835.9</p> <ul style="list-style-type: none"> • PERFORMED 24 MONTH CERTIFICATION OF PFD, STBY ALTIMETER, BLIND ENCODER AND STATIC SYSTEM AS REQUIRED BY F.A.R. 91.411 I.A.W. F.A.R. PART 43, APPENDIX E TO 25,000 FT. • PERFORMED 24 MONTH A.T.C. MODE "S" TRANSPONDER TEST AS REQUIRED BY F.A.R. 91.413 AND ACCOMPLISHED I.A.W. PART 43, APPENDIX F. <p>THE AIRCRAFT COMPONENT(s) IDENTIFIED ABOVE HAVE BEEN INSPECTED WITH REFERENCE TO ALL CURRENT FEDERAL REGULATIONS AND FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS ARE ON FILE AT THIS AGENCY.</p> <p>Signed: YH3R997L Stan Erickson Date: 22 MAR 2013</p>			

DATE	TOTAL	TACH OR	
N2500T	S/N: 41026	MODEL: LC41-550FG	 HOBBS TIME: 835.9
<p>AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JYVR016L</p> <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p> <p>SIGNED:  C/W ANNUAL INSPECTION IAW CESSNA 400 MAINTENANCE MANUAL. FAR 91-207(d) COMPLIED WITH YEARLY INSPECTION OF ELT BATTERY BY PHYSICAL TEST. OPERATION CHECKED OK. TESTED BY OUTSIDE VENDOR 03/12/2013. DUE DATE: JAN 2014 PITOT STATIC TRANSPONDER TEST PERFORMED BY OUTSIDE VENDOR UNDER INV# 231647. OXYGEN SYSTEM: HYDRO DUE DATE: FEB 2016. SERVICED OXYGEN SYSTEM TO 1400 PSI. C/W AD2005-12-20 BY INSPECTION OF ELEVATOR TORQUE TUBE ASSEMBLY. NO DEFECTS NOTED AT THIS TIME. C/W AD2007-07-06 R1 ON AILERON BY INSPECTION OF WINGS. NO DEFECTS NOTED AT THIS TIME. R&R BRAKE LININGS WITH NEW. P/N 066-06200 (8). CHECKED OK. R&R ALT BELT WITH NEW. P/N 25-06325 (1). SOME SBs THAT APPLY TO THIS AIRCRAFT MAY NOT HAVE BEEN PERFORMED PER OWNER'S DECISION. C/W ALL APPLICABLE ADs THROUGHOUT THIS DATE.</p>			
N2500T	S/N: 41026	MODEL: LC41-550FG	 HOBBS TIME: 870.2
<p>AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JYVR016L</p> <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p> <p>SIGNED:  SERVICED OXYGEN TO 1800 PSI.</p>			
N2500T	S/N: 41026	MODEL: LC41-550FG	 HOBBS TIME: 878.0
<p>AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JYVR016L</p> <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.</p> <p>SIGNED:  SERVICED OXYGEN SYSTEM TO 1600 PSI.</p>			
<p>SUB-TOTAL this page</p> <p>TOTAL—Carry forward to next page</p>			

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
			
			N2500T S/N: 41026 MODEL: LC41-550FG HOBBS TIME: 889.9
			DATE: 09-03-13 W.O. #: 20290 TOTAL TIME: 889.9
			AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JVYR016L
			THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.
			SIGNED:  INSTALLED NEW SD6-0001 STATIC WICK (1). SERVICED OXYGEN SYSTEM TO 1800 PSI.
			
			N2500T S/N: 41026 MODEL: LC41-550FG HOBBS TIME: 914.6
			DATE: 12-13-13 W.O. #: 20440 TOTAL TIME: 914.6
			AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JVYR016L
			THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.
			SIGNED:  R&R BOTH LIGHTS WITH NEW P/N 01-0770346-02 (2) OPS CHECK SATISFACTORY
			
			N2500T S/N: 41026 MODEL: LC41-550FG HOBBS TIME: 921.8
			DATE: 02-14-14 W.O. #: 20521 TOTAL TIME: 921.8
			AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JVYR016L
			THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.
			SIGNED:  REMOVED AND CLEANED ELECTRICAL LEADS. APPLIED CONTACT CLEANER. OPS CHECK OK. SERVICED WITH AVIATORS BREATHING OXYGEN
			SUB-TOTAL this page
			TOTAL—Carry forward to next page

DATE	TOTAL TIME IN	TACH OR RECORDING METER	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
			
			N2500T S/N: 41026 MODEL: LC41-550FG HOBBS TIME: 933.7
			DATE: 04-07-14 W.O. #: 20581 TOTAL TIME: 933.7
			AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JVYR016L
			THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.
			SIGNED:  C/W ANNUAL INSPECTION IAW CESSNA 400 MAINTENANCE MANUAL. FAR 91-207(d) COMPLY WITH YEARLY INSPECTION OF ELT BATTERY BY PHYSICAL TEST. OPERATION CHECKED OK. R&R WITH NEW ELT BATTERY P/N 452-6499 DUE DATE: 5/2021 R&R INDUCTION AIR FILTER WITH NEW P/N BA345E SERVICED OXYGEN SYSTEM TO 1600 PSI HYDRO DUE DATE: 2/2016 C/W AD2005-12-20 BY INSPECTION OF ELEVATOR TORQUE TUBE ASSEMBLY. C/W AD2007-07-06 R1 ON AILERON BY INSPECTION OF WINGS. NO DEFECTS FOUND. C/W AD2013-11-10 BY POH INSERT REGARDING LANDINGS. R&R L/H TIRE WITH NEW P/N GOODYEAR 15X600-6 FC III. INSTALLED TIRE AND TORQUED TO SPECS. OPS CHECK OK. SOME SBs THAT APPLY TO THIS AIRCRAFT MAY NOT HAVE BEEN PERFORMED PER OWNER'S DECISION. C/W ALL APPLICABLE ADs THROUGHOUT THIS DATE.
			
			N2500T S/N: 41026 MODEL: LC41-550FG HOBBS TIME: 942.3
			DATE: 07-31-14 W.O. #: 20786 TOTAL TIME: 942.3
			AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JVYR016L
			THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.
			SIGNED:  OXYGEN SYSTEM SERVICED TO 1800 PSI.
			
			N2500T S/N: 41026 MODEL: LC41-550FG HOBBS TIME: 952.2
			DATE: 10-27-14 W.O. #: 20915 TOTAL TIME: 952.2
			AIRFRAME LOG 2980 AIRWAY AV, COSTA MESA, CA 92626 TEL: 714-433-2275 FAA APPROVED REPAIR STATION # JVYR016L
			THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.
			SIGNED:  OXYGEN SYSTEM SERVICED TO 1600 PSI.

Page No. _____

D. N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 963.2



DATE: 01-06-15
W.O. #: 20966
TOTAL TIME: 963.2

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*

FOUND A HOLE AT UPPER SIDE OF DOOR SEAL. FILLED HOLE WITH SILICONE. DOOR SEAL IS GOOD AT THIS TIME.

N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 977.1



DATE: 03-04-15
W.O. #: 21070
TOTAL TIME: 977.1

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*

SERVICED ALL 3 TIRES TO MANUFACTURE SPEC PSI.

N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 981.8



DATE: 05-08-15
W.O. #: 21145
TOTAL TIME: 981.8

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*

C/W ANNUAL INSPECTION IAW CESSNA 400 MAINTENANCE MANUAL.
FAR 91-201(d) COMPLY WITH YEARLY INSPECTION OF ELT BATTERY BY PHYSICAL TEST. OPERATION CHECKED OK. ELT BATTERY DUE DATE: 5/2021
PITOT STATIC TRANSPONDER TEST PERFORMED BY OUTSIDE VENDOR.
HYDROSTATIC TEST OXYGEN BOTTLE DUE DATE: JAN 2017. OXYGEN SYSTEM SERVICED WITH 1800 PSI.
PCW CESSNA SB-06-002E BY INSTALLATION OF P/N LC55273200 REV G. NO FURTHER ACTION IS REQUIRED.
C/W AD2007-07-06 R1 ON AILERON BY INSPECTION OF WINGS.
R&R PILOT DOOR SEAL WITH NEW SEAL PN R581667 IAW CESSNA 400 MAINTENANCE MANUAL.
R&R HOBBS METER WIRE WITH NEW CONNECTOR PIN P/N 12084201. OPS CHECK OK.
INSTALLED P/N #6 CSW, SS, SH (28) DIMPLE WASHERS ONTO SCREW ORIFICES ON FUSELAGE INSPECTION PANELS. SECURED. OPS CHECK OK.
SOME SBs THAT APPLY TO THIS AIRCRAFT MAY NOT HAVE BEEN PERFORMED PER OWNER'S DECISION.
C/W ALL APPLICABLE ADs THROUGHOUT THIS DATE.

SUB-TOTAL this page

TOTAL—Carry forward to next page

WESTERN AVIONICS, INC. 19300 IKE JONES RD., SANTA ANA, CA 92707 CRS YH3R997L

N2500T LANCEAIR LC41-550FG S/N: 41026 WO# 236092 Hobbs: 981.9

- PERFORMED 24 MONTH CERTIFICATION OF AVIDYNE PFD ADC, SBY ALTIMETER AND STATIC SYSTEM AS REQUIRED BY F.A.R. 91.411 AND ACCOMPLISHED I.A.W. F.A.R. PART 43, APPENDIX E TO 25,000 FT.
- PERFORMED 24 MONTH MODE "S" TRANSPONDER TESTS AS REQUIRED BY F.A.R. 91.413 AND ACCOMPLISHED I.A.W. PART 43, APPENDIX F.

THE AIRCRAFT COMPONENT(s) IDENTIFIED ABOVE HAVE BEEN INSPECTED WITH REFERENCE TO ALL CURRENT FEDERAL AVIATION REGULATIONS AND FOUND AIRWORTHY FOR RETURN TO SERVICE WITH RESPECT TO WORK PERFORMED. PERTINENT DETAILS ARE ON FILE AT THIS AGENCY.

Signed *[Signature]* YH3R997L Stan Erickson5 / 4 / 2015
(DATE)

N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 1016.8



AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*

SERVICED OXYGEN TO 2,000 PSI. SATISFACTORY

N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 1165.5



AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *[Signature]*

R&R R/H BRAKE CALIPER AFTER CLEANED, INSPECTED, AND O-RINGS REPLACED WITH NEW P/N MS28775-222 (2). SYSTEM BLED AND SERVICED WITH MIL5606-H HYDRAULIC FLUID. R&R BRAKE LININGS WITH NEW P/N RA66-62 (4). OPERATIONAL AND LEAK CHECK FOUND SATISFACTORY.

DATE: 11/9/2016
W.O. #: 21920
TOTAL TIME: 1165.5

SUB-TOTAL this page

TOTAL—Carry forward to next page

DA
N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 1068.6



DATE: 5/27/16
W.O. #: 21698
TOTAL TIME: 106.86

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *Jay's*

FAR 91-207(d) COMPLY WITH YEARLY INSPECTION OF ELT BATTERY BY PHYSICAL TEST. OPERATION CHECKED BY OUTSIDE VENDOR. FOUND SATISFACTORY. BATTERY EXPIRES 5/2021
PITOT STATIC TRANSPONDER TEST DUE DATE: 5/2017
VACUUM SYSTEM INSPECTED IAW CESSNA 400 SERVICE MANUAL ANNUAL INSPECITON. FOUND SATISFACTORY.
OXYGEN SYSTEM INSPECTED IAW CESSNA 400 SERVICE MANUAL. SERVICE OXYGEN TANK TO 1800PSI. OPERATIONAL AND LEAK CHECK FOUND SATISFACTORY.
AD2007-07-06 R1 PREVENT JAMMING OF AILERONS. C/W AD2007-07-06 R1 ON AILERON BY INSPECTION OF WINGS. NO DEBRIS OR DEFECTS FOUND.
L/H AND R/H ASSIST STEPS GRIP REMOVED CLEANED AND INSTALLED NEW GRIP TO BOTH L/H AND R/H ASSIST STEPS.
SOME SBs THAT APPLY TO THIS AIRCRAFT MAY NOT HAVE BEEN PERFORMED PER OWNER'S DECISION.
C/W ALL APPLICABLE ADs THROUGHOUT THIS DATE.

N2500T
S/N: 41026
MODEL: LC41-550FG
HOBBS TIME: 1238.3



DATE: 7/7/2017
W.O. #: 22186
TOTAL TIME: 1238.3

AIRFRAME LOG
2980 AIRWAY AV, COSTA MESA, CA 92626
TEL: 714-433-2275
FAA APPROVED REPAIR STATION # JVYR016L

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY.

SIGNED: *Jay's*

C/W ANNUAL INSPECTION IN ACCORDANCE WITH COLUMBIA 400 MAINTENANCE MANUAL AND INSPECTION CHECK LIST.
FAR 91-207(d) COMPLY WITH YEARLY INSPECTION OF ELT BATTERY BY PHYSICAL TEST AND VISUAL INSPECTION. OPERATION CHECKED BY OUTSIDE VENDOR. FOUND SATISFACTORY. BATTERY EXPIRES 5/2021
PITOT STATIC AND TRANSPONDER CERTIFICATION PERFORMED BY OUTSIDE VENDOR. NEXT DUE 5/2019
R&R OXYGEN BOTTLES P/N 100N4000-2, S/N NN0454740 AND P/N 100N4000-1, S/N NN0454705 AND S/N NN0454733 AFTER HYDROSTATIC TEST PERFORMED BY OUTSIDE VENDOR. R&R ALL SECO SEALS WITH NEW P/N SECO7C3 (12) AND SECO 7C4(8). OXYGEN SYSTEM INSPECTED IAW CESSNA 400 SERVICE MANUAL. SERVICE OXYGEN TO 2000PSI OPERATIONAL AND LEAK CHECK FOUND SATISFACTORY. NEXT DUE 5/2020
C/W AD2007-07-06 R1 ON AILERON BY INSPECTION OF WINGS. NO DEBRIS OR DEFECTS FOUND.
R&R R/H MAIN TIRE WITH NEW GOODYEAR FLIGHT CUSTOM III 15.00X6 6 PLY TIRE, TUBE INSPECTED AND FOUND SATISFACTORY IAW LC41-550FG SERVICE MANUAL. OPERATIONAL AND LEAK CHECK FOUND SATISFACTORY.
SERVICE NOSE STRUT WITH NITROGEN IAW LC41-550FG SERVICE MANUAL. OPERATIONAL AND LEAK CHECK FOUND SATISFACTORY.
SOME SBs THAT APPLY TO THIS AIRCRAFT MAY NOT HAVE BEEN PERFORMED PER OWNER'S DECISION.
C/W ALL APPLICABLE ADs THROUGHOUT THIS DATE.

SUB-TOTAL this page

TOTAL—Carry forward to next page

DATE	TOTAL TIME IN	TACH OR RECORDING METER
------	---------------	-------------------------

N2500T
S/N: 41026
MODEL: LC41-550FG
TACH TIME:
HOBBS TIME: 1253.5

DESCRIPTION OF WORK PERFORMED—
SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK



2980 AIRWAY AVE, COSTA MESA, CA 92626
TEL: 714-433-2275, WWW.JAYSAIRCRAFT.COM
FAA APPROVED REPAIR STATION # JVYR016L

AIRFRAME LOG

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY

SIGNED: *Jay's*

R&R BOTH MAIN BATTERIES WITH NEW P/N RG1215 (2) S/N 40908753 AND S/N 40908754 IAW LC41-550FG SERVICE MANUAL. OPERATIONAL CHECK FOUND SATISFACTORY.

N2500T
S/N: 41026
MODEL: LC41-550FG
TACH TIME:
HOBBS TIME: 1253.5



2980 AIRWAY AVE, COSTA MESA, CA 92626
TEL: 714-433-2275, WWW.JAYSAIRCRAFT.COM
FAA APPROVED REPAIR STATION # JVYR016L

AIRFRAME LOG

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY

SIGNED: *Jay's*

C/W ANNUAL INSPECTION IN ACCORDANCE WITH CESSNA LC41-550FG MAINTENANCE MANUAL
FAR 91-207(d) COMPLY WITH YEARLY INSPECTION OF ELT BATTERY BY PHYSICAL TEST AND VISUAL INSPECTION. OPERATION CHECKED SATISFACTORY. ELT BATTERY DUE 5/2021.
PITOT STATIC TRANSPONDER TEST DUE DATE: 5/2019
OXYGEN SYSTEM INSPECTED IAW LC41-550FG SERVICE MANUAL IAW ANNUAL INSPECTION GUDIELINES. OPERATIONAL AND LEAK CHECK FOUND SATISFACTORY. SERVICED TO 2000PSI AVIATORS BREATHING OXYGEN. OXYGNE BOTTLE HYDROSTATIC TEST DUE 7/2020
C/W AD2007-07-06 R1 ON AILERON BY INSPECTION OF WINGS.
R&R ALL SEAT RESTRAINTS WITH NEW P/N 5-01-905753, 5-01-915753, 5-01-900753, 5-01-910753 IAW LC41-550FG SERVICE MANUALS. OPERATIONAL AND SECURITY CHECK FOUND SATISFACTORY.
SOME SBs THAT APPLY TO THIS AIRCRAFT MAY NOT HAVE BEEN PERFORMED PER OWNER'S DECISION.
C/W ALL APPLICABLE ADs THROUGHOUT THIS DATE.

N2500T
S/N: 41026
MODEL: LC41-550FG
TACH TIME:
HOBBS TIME: 1261.5



2980 AIRWAY AVE, COSTA MESA, CA 92626
TEL: 714-433-2275, WWW.JAYSAIRCRAFT.COM
FAA APPROVED REPAIR STATION # JVYR016L

AIRFRAME LOG

THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY

SIGNED: *Jay's*

R&R MAIN BATTERIES AFTER CHARGING. OPERATIONAL CHECK FOUND SATISFACTORY.

DATE: 7/10/2018
W.O.#: 22788
TSMOH:
TOTAL TIME: 1253.5

DATE: 9/1/2018
W.O.#: 22844
TSMOH:
TOTAL TIME: 1253.5

DATE: 10/29/2018
W.O.#: 22937
TSMOH:
TOTAL TIME: 1261.5

DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK				
 <p>2980 AIRWAY AVE, COSTA MESA, CA 92626 TEL: 714-433-2275, WWW.JAYSACRAFT.COM FAA APPROVED REPAIR STATION # JVYR016L</p> <p>AIRFRAME LOG</p> <p><i>Handwritten signature</i></p> <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY</p> <p>R&R BOTH MAIN BATTERIES WITH NEW P/N RG1215, S/N 40881217 AND 40881219 IAW LC41-550FG SERVICE MANUAL. OPERATIONAL CHECK FOUND SATISFACTORY.</p>	<p>DATE: 11/8/2018 W.O.#: 22950 TSMOH: TOTAL TIME: 1261.0</p>			
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;"></td> <td style="width: 33%;"></td> <td style="width: 33%;"></td> </tr> </table>				
<p>N2500T S/N: 41026 MODEL: LC41-550FG TACH TIME: HOBBS TIME: 1291.9</p>				
 <p>2980 AIRWAY AVE, COSTA MESA, CA 92626 TEL: 714-433-2275, WWW.JAYSACRAFT.COM FAA APPROVED REPAIR STATION # JVYR016L</p> <p>AIRFRAME LOG</p> <p><i>Handwritten signature</i></p> <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY</p> <p>SIGNED: <i>James</i></p> <p>R&R R/H MAIN TIRE INNER TUBE WITH NEW MICHELIN P/N 092-501-0 IAW LC41-550FG AND CLEVELAND SERVICE MANUALS. OPERATIONAL AND LEAK CHECK FOUND SATISFACTORY.</p> <p>SERVICED OXYGEN SYSTEM WITH AVIATORS BREATHING OXYGEN IAW LC41-550FG SERVICE MANUAL. OPERATIONAL AND LEAK CHECK FOUND SATISFACTORY.</p>				
<p>Atlas Instruments LLC - FAA Repair Station #OD9R049Y</p> <p>I certify that the Altimeter and Static System tests required by FAR 91.411 have been performed and found to comply with 14 CFR Part 43, Appendix "E". Altimeters has been tested to <u>20,000</u> ft.</p> <p>Aircraft N# <u>2500T</u> Work Order No. <u>3-1879</u></p> <p><i>Handwritten signature</i></p> <p>Certified Authority</p> <p>Date</p> <p>10-22-19</p>				
<p>Atlas Instruments LLC - FAA Repair Station #OD9R049Y</p> <p>I certify that the Transponder has been tested in accordance with FAR 91.413 and has been found to comply with 14 CFR Part 43, Appendix "F".</p> <p>Aircraft N# <u>2500T</u> Work Order No. <u>3-1879</u></p> <p><i>Handwritten signature</i></p> <p>Certified Authority</p> <p>Date</p> <p>10-22-19</p>				

DATE	TOTAL TIME	TACH OR RECORDING	
N2500T S/N: 41026 MODEL: LC41-550FG TACH TIME: HOBBS TIME: 1319.5			
 2980 AIRWAY AVE, COSTA MESA, CA 92626 TEL: 714-433-2275, WWW.JAYSAIRCRAFT.COM FAA APPROVED REPAIR STATION # JVVR016L			
AIRFRAME LOG			
THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY SIGNED: <i>Jamie</i>			
C/W ANNUAL INSPECTION IN ACCORDANCE WITH LC41-550FG MAINTENANCE MANUAL AND INSPECTION CHECKLIST. FAR 91-207(d) COMPLY WITH YEARLY INSPECTION OF ELT BATTERY BY PHYSICAL TEST AND VISUAL INSPECTION. OPERATION CHECKED SATISFACTORY. ELT BATTERY EXPIRES 5/2021! 24 MONTH PITOT/STATIC/ TRANSPONDER TEST PERFORMED BY OUTSIDE VENDOR UNDER INVOICE# 14182. NEXT DUE 10/2021 OXYGEN SYSTEM INSPECTED IAW LC41-550FG SERVICE MANUAL IAW ANNUAL INSPECTION GUIDELINES. OPERATIONAL AND LEAK CHECK FOUND SATISFACTORY. OXYGEN SYSTEM SERVICED WITH AVIATORS BREATHING OXYGEN. OXYGEN BOTTLE HYDROSTATIC TEST NEXT DUE 7/2021 C/W AD2007-07-06 R1 ON AILERON BY INSPECTION OF WINGS. R&R R/H POSITION LIGHT BULB WITH NEW P/N 34-0428070-64 IAW LC41-550FG SERVICE MANUAL. OPERATIONAL CHECK FOUND SATISFACTORY. R&R L/H AILERON BONDING STRAP WITH NEW P/N 1570102-12 IAW LC41-550FG SERVICE MANUAL. OPERATIONAL CHECK FOUND SATISFACTORY. R&R ALTERNATE AIR CONTROL CABLE AFTER CLEANED, AND INSPECTED. RE-RIGGED. OPERATIONAL CHECK FOUND SATISFACTORY. SOME SBs THAT APPLY TO THIS AIRCRAFT MAY NOT HAVE BEEN PERFORMED PER OWNER'S DECISION. C/W ALL APPLICABLE ADs THROUGHOUT THIS DATE.			
DATE: 11/1/2019			
 2980 AIRWAY AVE, COSTA MESA, CA 92626 TEL: 714-433-2275, WWW.JAYSAIRCRAFT.COM FAA APPROVED REPAIR STATION # JVYRG16L			
AIRFRAME LOG			
THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY SIGNED: <i>Jamie</i>			
R&R BOTH L/H AND R/H BATTERIES AFTER BENCH CHARGED FOR 24 HOURS IAW LC41-550FG SERVICE MANUAL. OPERATIONAL CHECK FOUND SATISFACTORY.			
SUB-TOTAL this page			
TOTAL—Carry forward to next page			

<p>N2500T S/N: 41026 MODEL: LC41-550FG TACH TIME: HOBBS TIME: 1322.7</p> <p></p> <p>2980 AIRWAY AVE, COSTA MESA, CA 92626 TEL: 714-433-2275, WWW.JAYSAIRCRAFT.COM FAA APPROVED REPAIR STATION # JVYR016L</p> <p>AIRFRAME LOG</p> <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY</p> <p>SIGNED: <i>[Signature]</i></p> <p>TROUBLE SHOT R/H ALTERNATOR SYSTEM. FOUND ALTERNATOR WORKING AS REQUIRED, FOUND WIRING INTACT AND WORKING AS REQUIRED. FOUND R/H ALTERNATOR RELAY INOP. R&R R/H ALTERNATOR RELAY WITH NEW P/N P70-902 IAW LC41-550FG SERVICE MANUAL. OPERATIONAL CHECK FOUND SATISFACTORY.</p>		<p>DATE: 2/24/2020 W.O.#: 23554 TSMOH: TOTAL TIME: 1322.7</p>
<p>N2500T S/N: 41026 MODEL: LC41-550FG TACH TIME: HOBBS TIME: 1406.6</p> <p></p> <p>2980 AIRWAY AVE, COSTA MESA, CA 92626 TEL: 714-433-2275, WWW.JAYSAIRCRAFT.COM FAA APPROVED REPAIR STATION # JVYR016L</p> <p>AIRFRAME LOG</p> <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY</p> <p>SIGNED: <i>[Signature]</i></p> <p>C/W ANNUAL INSPECTION IN ACCORDANCE WITH LC41-550FG MAINTENANCE MANUAL AND INSPECTION CHECKLIST. FAR 91-207(d) COMPLY WITH YEARLY INSPECTION OF ELT BATTERY BY PHYSICAL TEST AND VISUAL INSPECTION OPERATION CHECKED SATISFACTORY. ELT BATTERY EXPIRES 10/2025 24 MONTH PITOT/STATIC/TRANSPONDER CERTIFICATION PERFORMED IAW FAR 91.411 AND 91.413 BY OUTSIDE VENDOR UNDER INVOICE# 14903. NEXT DUE 4/2024 R&R OXYGEN BOTTLES P/N 100N4000-2, S/N NN0454740 AND P/N 100N4000-1, S/N NN0454705 AND S/N NN0454733 AFTER HYDROSTATIC TEST PERFORMED BY OUTSIDE VENDOR UNDER INVOICE# 22-42462. R&R ALL SECO SEALS WITH NEW P/N SECO7C3 (12) AND SECO 7C4(8). OXYGEN SYSTEM INSPECTED IAW CESSNA 400 SERVICE MANUAL. SERVICE OXYGEN TO 2000PSI OPERATIONAL AND LEAK CHECK FOUND SATISFACTORY. NEXT DUE 6/2025 C/W AD2007-07-06 RI ON AILERON BY INSPECTION OF WINGS. NO DEBRIS FOUND. NEXT DUE 6/2023 R&R L/H BRAKE CALIPER AFTER CLEANED, INSPECTED, AND REPLACED O-RINGS WITH NEW P/N MS28775-222 (2) IAW LC41-550FG AND CLEVELAND WHEEL AND BRAKE SERVICE MANUALS. BRAKE SYSTEM BLED USING MIL-5606-H HYDRAULIC FLUID. OPERATIONAL AND LEAK CHECK FOUND SATISFACTORY. R&R L/H AND R/H BRAKE LININGS WITH NEW P/N RA66-06200 IAW CLEVELAND AND LC41-550FG SERVICE MANUALS. OPERATIONAL AND LEAK CHECK FOUND SATISFACTORY. R&R L/H MAIN TIRE WITH NEW GOODYEAR 15.00X6-6 FLIGHT CUSTOM III TIRE P/N 156E66-4 AND INNER TUBE WITH NEW MICHELIN AIR STOP P/N 097-500-0. R&R NOSE TIRE WITH NEW GOODYEAR 5.00X5 FLIGHT CUSTOM III TIRE P/N 505C66-5 AND INNER TUBE WITH NEW MICHELIN P/N 097-908-0. ALL WORK PERFORMED IAW LC41-550FG AND CLEVELAND WHEEL AND BRAKE SERVICE MANUALS. OPERATIONAL AND LEAK CHECK FOUND SATISFACTORY. R&R FLAP SWITCH IAW LC41-550FG SERVICE MANUAL. AFTER REPAIRED BY PRECISE FLIGHT UNDER INVOICE# 0078243-IN.. OPERATIONAL CHECK FOUND SATISFACTORY. SOME SBs THAT APPLY TO THIS AIRCRAFT MAY NOT HAVE BEEN PERFORMED PER OWNER'S DECISION. C/W ALL APPLICABLE ADs THROUGHOUT THIS DATE.</p>		<p>DATE: 6/20/2022 W.O.#: 24621 TSMOH: TOTAL TIME: 1406.6</p>
<p>N2500T S/N: 41026 MODEL: LC41-550FG TACH TIME: HOBBS TIME: 1337.0</p> <p></p> <p>2980 AIRWAY AVE, COSTA MESA, CA 92626 TEL: 714-433-2275, WWW.JAYSAIRCRAFT.COM FAA APPROVED REPAIR STATION # JVYR016L</p> <p>AIRFRAME LOG</p> <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY</p> <p>SIGNED: <i>[Signature]</i></p> <p>C/W ANNUAL INSPECTION IN ACCORDANCE WITH LC41-550FG MAINTENANCE MANUAL AND INSPECTION CHECKLIST. FAR 91-207(d) COMPLY WITH YEARLY INSPECTION OF ELT BATTERY BY PHYSICAL TEST AND VISUAL INSPECTION. OPERATION CHECKED SATISFACTORY. R&R ELT BATTERY WITH NEW P/N 452-6499. ELT BATTERY EXPIRES 8/2027. PITOT STATIC TRANSPONDER TEST DUE DATE: 10/2021 OXYGEN SYSTEM INSPECTED IAW LC41-550FG SERVICE MANUAL IAW ANNUAL INSPECTION GUIDELINES. OPERATIONAL AND LEAK CHECK FOUND SATISFACTORY. OXYGEN SYSTEM SERVICED WITH AVIATORS BREATHING OXYGEN. OXYGEN BOTTLE HYDROSTATIC TEST NEXT DUE 7/2021 C/W AD2007-07-06 RI ON AILERON BY INSPECTION OF WINGS. FOUND SATISFACTORY. NO DEBRIS FOUND PITOT STATIC TRANSPONDER TEST DUE DATE: 10/2021 INSPECTED OXYGEN SYSTEM IAW LC41-550FG SERVICE MANUAL IAW ANNUAL INSPECTION GUIDELINES. OPERATIONAL AND LEAK CHECK FOUND SATISFACTORY. HYDROSTATIC TEST ON OXYGEN BOTTLES DUE 8/2022, SERVICED OXYGEN TANKS USING AVIATORS BREATHING OXYGEN TO 1800 PSI. R&R R/H BRAKE CALIPER AFTER CLEANED, INSPECTED, AND REPLACED PISTON O-RINGS WITH NEW P/N MS28775-222 (2) IAW LC41-550FG AND CLEVELAND WHEEL AND BRAKE SERVICE MANUALS. BLED SYSTEM USING MIL-5606-H HYDRAULIC FLUID AND SERVICED RESERVOIR. OPERATIONAL AND LEAK CHECK FOUND SATISFACTORY. SOME SBs THAT APPLY TO THIS AIRCRAFT MAY NOT HAVE BEEN PERFORMED PER OWNER'S DECISION. C/W ALL APPLICABLE ADs THROUGHOUT THIS DATE.</p>		<p>DATE: 11/1/2020 W.O.#: 23915 TSMOH: TOTAL TIME: 1337.0</p>
<p>N2500T S/N: 41026 MODEL: LC41-550FG TACH TIME: HOBBS TIME: 1406.6</p> <p></p> <p>2980 AIRWAY AVE, COSTA MESA, CA 92626 TEL: 714-433-2275, WWW.JAYSAIRCRAFT.COM FAA APPROVED REPAIR STATION # JVYR016L</p> <p>AIRFRAME LOG</p> <p>THE AIRCRAFT AND / OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR / REPLACEMENT ARE ON FILE AT THIS AGENCY</p> <p>SIGNED: <i>[Signature]</i></p> <p>R&R BOTH L/H AND R/H MAIN BATTERIES AFTER CHARGED ON BENCH IAW AC43.13-1B AND LC41-550FG SERVICE MANUAL. OPERATIONAL AND SECURITY CHECK FOUND SATISFACTORY. SERVICED AIR PSI IN ALL TIRES TO SPECIFICATION IAW LC41-550FG SERVICE MANUAL. OPERATIONAL CHECK FOUND SATISFACTORY.</p>		<p>DATE: 2/17/2023 W.O.#: 25016 TSMOH: TOTAL TIME: 1406.6</p>
<p>SUB-TOTAL this page</p> <p>TOTAL—Carry forward to next page</p>		